

OSRAM

PHILIPS

CREE

EPISTAR

NICHIA

SEOUL

SAMSUNG



中山市镁特丽照明有限公司
MINK LED LIGHTING CO.,LTD

Phone number

+86 134 2040 8061

+853 6855 5317

Email

maggie@minkled.cn

maggieguzhen@163.com

Address

Floor 5, Building 4th, NO.33, Dongxing East Road, Guzhen Town, Zhongshan City, P.R CHINA



MIK 镁特丽

Explore the beauty of nature.

探索自然之美



2024

Family light
Catalogue



**Welcome to the
outdoor world of MK.**

公司简介/Company Profile



中山市镁特丽照明有限公司是一家专注于户外照明产品设计和生产的综合性公司。中山市镁特丽光电有限公司成立于2011年，“MK,你的防水专家”是我们的使命,用最好的建筑照明解决方案和视觉舒适度创造情感。我们坚持创新务实的发展理念,超越自己,并追求卓越。我们一直专注于产品开发,始终以客户为中心,依靠不断提升的创新能力,整合灵活的单品定制能力,日益完善的配送能力和不断完善的售后服务成为深受客户信赖的品牌,公司以强大的开发能力为基础,致力于为园林、庭院氛围照明打造全系列照明产品。目前,公司主要产品有五大系列:地插灯、地埋灯、户外壁灯、墙角灯、庭院灯。

中山市镁特丽照明有限公司不断加快创新设计和研发的步伐,为客户提供优质、极致的服务是公司的发展准则,将低碳、环保、节能贯彻到底结合市场需求为客户创造更大的价值。

Zhongshan MINK LED LIGHTING CO.,LTD. is a comprehensive company focusing on the design and production of outdoor lighting products. Zhongshan Magnet Optoelectronics Co., Ltd. was established in 2011. "MK, your waterproof expert" is our mission to create emotions with the best architectural lighting solutions and visual comfort. We adhere to the innovative and pragmatic development concept, surpass ourselves, and pursue excellence. We have always focused on product development, always customer-centric, relying on the continuous improvement of innovation capabilities, integrating flexible single product customization capabilities, increasingly improved distribution capabilities and continuously improved after-sales service to become a brand trusted by customers. The company is based on strong development capabilities and is committed to creating a full range of lighting products for garden and courtyard atmosphere lighting. At present, the company's main products include five series: ground plug lamps, underground lamps, outdoor wall lamps, corner lamps, and garden lamps.

Zhongshan MINK LED LIGHTING CO.,LTD. continues to accelerate the pace of innovative design and research and development. Providing customers with high-quality and extreme services is the company's development principle. It will implement low-carbon, environmental protection, and energy saving to the end and combine market demand to create greater value for customers.

公司展厅/Company Showroom



公司展厅 / Company Showroom



防水测试仪器
Simulate Waterproof Tester



雷击浪涌测试仪
Lightning Surge Generator




多路温度测试仪
Multiplex Temperature meter




光光电综合测试系统
Spectroscopic analysis system




ZC93-3型绝缘电阻表
ZC93-3 Type insulation resistance meter



老化测试
Aging test





装配线
Production Line



包装过程
Packaging process



CERTIFICATE (HAVE CE,GS,ROHS AND ERP6000 HOURS)





MK-CP46002 MK-W46002



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46002	12W/E27	190x190x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46002	12W/E27	190x200x250mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP46005 MK-W46005




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46005	12W/E27	Ø190x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46005	12W/E27	217x190x250mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP46006 MK-W46006



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46006	12W/E27	Ø190x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46006	12W/E27	217x190x250mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP46013 MK-W46013



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46013	12W	180x180x400mm 180x180x600mm 180x180x800mm 180x180x1000mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46013	12W	180x180x200mm	Aluminum	Black	AC85-265V	IP65	80+




MK-Z46009 / MK-CP46009 MK-W46009



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46009	12W	Z4-150x150x285mm CP4-150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46009	12W	150x150x285mm	Aluminum	Black	AC85-265V	IP65	80+



MK-Z46010 / MK-CP46010 MK-W46010



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46010	12W	Z4-170x150x285mm CP4-170x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46010	12W	170x180x285mm	Aluminum	Black	AC85-265V	IP65	80+




MK-Z46011 MK-Z46011A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z46011	E27	210x210x230mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z46011A	E27	210x210x230mm	Aluminum	Black	AC85-265V	IP65	80+



MK-Z46012 MK-Z46012A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z46012	E27	210x210x230mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z46012A	E27	210x210x230mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP46011 MK-CP46012



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46011	E27	210x210x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP46012	E27	210x210x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP46007 MK-W46007



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46007	12W	75x100x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46007	12W	75x100x290mm	Aluminum	Black	AC85-265V	IP65	80+





MK-CP46008 MK-W46008




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46008	12W	150x150x285mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46008	12W	290x150x170mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45001 MK-Z45001




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45001	16W	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45001	16W	150x150x160mm	Aluminum	Black	AC85-265V	IP65	80+




MK-Z45002 MK-CP45002



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45002	7W	150x150x160mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45002	7W	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP46005 MK-W45003



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45003	18W	235x115x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45003	18W	220x115x335mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45004 MK-W45004



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45004	7W	125x125x575mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45004	7W	70x100x205mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45005 MK-W46005



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45005	7W	70x100x235mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45005A	14W	70x100x360mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45005



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45005	7W	125x125x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45006 MK-W45006




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45006	12W	80x110x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45006	12W	80x105x230mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45007 MK-W45007



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45007	7W	165x100x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45007	7W	100x100x52mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45007A MK-CP45007B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45007A	2x7W	100x230x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45007B	2x7W	100x230x600mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP19079 MK-CP19079-2



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP19079	6W	130x130x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19079-2	12W	130x259x800mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45008 MK-W45008



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45008	18W	180x180x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45008	18W	180x182x470mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45011 MK-W45011A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45011	18W	195x165x140mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45011A	18W	195x165x140mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45012 MK-W45012A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45012	18W	195x165x140mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45012A	18W	195x165x140mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45011 MK-CP45012



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45011	18W	210x170x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45012	18W	226x170x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45013 MK-W45013A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45013	7W	100x45x100mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45013A	7W	100x45x170mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP19026-400



Power	Size	Material	Input	IP Rating	CRI
7W	100x170x400mm	Aluminum	AC85-265V	IP65	80+



MK-CP19026-600



Power	Size	Material	Input	IP Rating	CRI
7W	100x170x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP19025-400



Power	Size	Material	Input	IP Rating	CRI
7W	100x100x400mm	Aluminum	AC85-265V	IP65	80+




MK-CP19025-600



Power	Size	Material	Input	IP Rating	CRI
7W	100x100x600mm	Aluminum	AC85-265V	IP65	80+



MK-Z45013 MK-Z45014











Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45013	7W	110x110x115mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45014	7W	110x110x115mm	Aluminum	Black	AC85-265V	IP65	80+

MK-Z45015 MK-Z45016











Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45015	7W	110x110x115mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45016	7W	110x110x115mm	Aluminum	Black	AC85-265V	IP65	80+




MK-Z45017 MK-Z45018



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45017	7W	110x110x115mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45018	7W	110x110x115mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45013 MK-CP45014



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45013	7W	110x110x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45014	7W	110x110x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45015 MK-CP45016



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45015	7W	110x110x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45016	7W	110x110x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45017 MK-CP45018



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45017	7W	110x110x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45018	7W	110x110x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45019 MK-W45020




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45019	12W	150x185x185mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45020	E27	150x185x185mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45021 MK-W45022



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45021	E27	150x185x185mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45022	E27	150x185x285mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45019 MK-CP45020



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45019	12W	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45020	E27	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45021 MK-CP45022



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45021	E27	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45022	E27	150x150x700mm	Aluminum	Black	AC85-265V	IP65	80+



MK-Z45019 MK-Z45020



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45019	12W	150x150x185mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45020	E27	150x150x185mm	Aluminum	Black	AC85-265V	IP65	80+



MK-Z45021 MK-Z45022



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45021	E27	150x150x185mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45022	E27	150x150x285mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45023 MK-CP45023A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45023	E27	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45023A	E27	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+

MK-CP45024 MK-CP45024A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45024	E27	165x165x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45024A	E27	165x165x600mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W45023 MK-W45024



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45023	E27	168x150x370mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45024	E27	177x165x370mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45023A MK-W45024A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45023A	E27	168x150x370mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45024A	E27	177x165x370mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45025 MK-W45025



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45025	E27	120x120x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45025	E27	120x120x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45026 MK-W45026



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45026	E27	124x121x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45026	E27	124x121x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45027 MK-W45028



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45027	12W	120x180x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45028	12W	157x120x300mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45029



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45029	12W	146x126x300mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45027 MK-CP45028



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45027	12W	120x120x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45028	12W	120x120x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45029 MK-CP45029A




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45029	12W	127x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45029A	12W	165x183x600mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W45030 MK-W45030A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45030	12W	157x120x240mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45030A	E27	157x120x240mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45031 MK-W45031A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45031	12W	128x183x240mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45031A	E27	128x183x240mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W45030B MK-W45030C



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45030B	12W	157x120x373mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45030C	12W	157x120x373mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W45031B MK-W45031C



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45031B	12W	128x183x373mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45031C	12W	128x183x373mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45030




Power	Size	Material	Input	IP Rating	CRI
12W	122x122x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45030A




Power	Size	Material	Input	IP Rating	CRI
E27	122x122x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45031




Power	Size	Material	Input	IP Rating	CRI
12W	128x125x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45031A



Power	Size	Material	Input	IP Rating	CRI
E27	128x125x600mm	Aluminum	AC85-265V	IP65	80+





MK-CP19027 MK-W19061



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP19027	6W	45x100x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W19061	2x6W	88x110x260mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP19028



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP19028	6W	80x88x160mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46005	12W	217x190x250mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45035 MK-W45035




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45035	18W	170x95x890mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45035	18W	170x45x220mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45039 MK-W45039



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45039	12W	100x155x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45039	12W	100x190x280mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45041 MK-W45041



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45041	8W	159x159x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45041	8W	159x159x200mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45042 MK-W45042



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45042	7W	150x150x680mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45042	8W	150x150x280mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45044




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45044	6W	150x150x680mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45043 MK-W45043



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45043	12W	100x125x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45043	12W	215x55x50mm	Aluminum	Black	AC85-265V	IP65	80+






MK-CP45043A



Power	Size	Material	Input	IP Rating	CRI
E27	100x125x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45043C



Power	Size	Material	Input	IP Rating	CRI
E27	100x150x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45043B



Power	Size	Material	Input	IP Rating	CRI
24W	100x150x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45043D



Power	Size	Material	Input	IP Rating	CRI
2x12W	100x150x800mm	Aluminum	AC85-265V	IP65	80+





MK-CP45046 MK-W45046



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45046	6W	200x296x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45046	6W	200x296x470mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45047 MK-W45047



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45047	6W	265x190x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45047	6W	170x190x230mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45048 MK-W45048A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45048	E27	201x296x470mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45048A	E27	201x296x520mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45048 MK-W45049



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45048	E27	201x273x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45049	E27	201x230x245mm	Aluminum	Black	AC85-265V	IP65	80+



**MK-CP45049**

Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45049	E27	201x273x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45048A	E27	201x296x520mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45052 MK-W45052



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45052	7W	155x155x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45052	7W	105x105x155mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45053 MK-W45053



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45053	7W	188x100x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45053	E27	110x157x171mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45054 MK-W45054A




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45054	7W	195x105x216mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45054A	2x7W	266x137x275mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45054




Power	Size	Material	Input	IP Rating	CRI
7W	188x100x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP45054A



Power	Size	Material	Input	IP Rating	CRI
2x7W	275x100x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP45054B



Power	Size	Material	Input	IP Rating	CRI
2x7W	275x100x600mm	Aluminum	AC85-265V	IP65	80+





MK-CP45055 MK-W45055



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45055	8W	158x235x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45055	8W	158x158x130mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45056 MK-Z45056



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45056	5-7W	183x165x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45056	5-7W	140x121x207mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45057 MK-W45057



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45057	6W	Ø248x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45057	6W	Ø248x115mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45058 MK-W45058



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45058	6W	Ø248x680mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45058	6W	248x253x150mm	Aluminum	Black	AC85-265V	IP65	80+




MK-DD45058 MK-W45058A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-DD45058	6W	Ø248x1000mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45058A	6W	248x253x150mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45059 MK-W45060



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45059	7W	100x110x90mm 100x120x90mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45060	GU10	100x110x90mm 100x120x90mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45059 MK-CP45060



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45059	14W	100x155x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45060	GU10	100x155x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45059A MK-CP45060A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45059A	14W	100x275x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45060A	GU10	100x275x600mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W45061



Power	Size	Material	Input	IP Rating	CRI
18W	210x110x170mm	Aluminum	AC85-265V	IP65	80+



MK-W45061A



Power	Size	Material	Input	IP Rating	CRI
18W	210x110x170mm	Aluminum	AC85-265V	IP65	80+



MK-CP45061



Power	Size	Material	Input	IP Rating	CRI
18W	213x84x800mm	Aluminum	AC85-265V	IP65	80+



MK-CP45061A



Power	Size	Material	Input	IP Rating	CRI
18W	213x84x800mm	Aluminum	AC85-265V	IP65	80+





MK-CP45062



Power	Size	Material	Input	IP Rating	CRI
7W	90x131x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP45062A



Power	Size	Material	Input	IP Rating	CRI
E27	90x131x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP45063



Power	Size	Material	Input	IP Rating	CRI
7W	90x131x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP45063A



Power	Size	Material	Input	IP Rating	CRI
E27	90x131x600mm	Aluminum	AC85-265V	IP65	80+






MK-W45064



Power	Size	Material	Input	IP Rating	CRI
E27	152x120x300mm	Aluminum	AC85-265V	IP65	80+

MK-W45064A



Power	Size	Material	Input	IP Rating	CRI
E27	160x124x300mm	Aluminum	AC85-265V	IP65	80+

MK-CP45064



Power	Size	Material	Input	IP Rating	CRI
E27	120x120x600mm	Aluminum	AC85-265V	IP65	80+

MK-CP45064A



Power	Size	Material	Input	IP Rating	CRI
E27	120x120x600mm	Aluminum	AC85-265V	IP65	80+





MK-W45062 MK-W45063



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45062	E27	90x137x390mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45063	7W	90x137x213mm	Aluminum	Black	AC85-265V	IP65	80+



MK-DD45085 MK-W45085



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-DD45085	E27	150x150x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45085	E27	150x150x290mm	Aluminum	Black	AC85-265V	IP65	80+





MK-DD45085A MK-DD45085B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-DD45085A	E27	150x150x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-DD45085B	7W	150x150x300mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45085A MK-W45085B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45085A	E27	150x150x290mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45085B	E27	150x150x290mm	Aluminum	Black	AC85-265V	IP65	80+




MK-DD45086 MK-W45086



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-DD45086	E27	150x150x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45086	7W	150x180x290mm	Aluminum	Black	AC85-265V	IP65	80+



MK-DD45086A MK-DD45086B




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-DD45086A	E27	150x150x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-DD45086B	E27	150x150x300mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45086A MK-W45086B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45086A	E27	150x180x290mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45086B	7W	150x180x290mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45065 MK-W45065



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45065	20W	150x150x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45065	18W	150x180x270mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45065A MK-W45065A




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45065A	20W	150x150x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45065A	20W	150x180x270mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45065B MK-W45065B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45065B	E27	150x150x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45065B	E27	150x180x270mm	Aluminum	Black	AC85-265V	IP65	80+



MK-Z45069 MK-W45069



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45069	20W	150x150x145mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45069	20W	150x185x240mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45069 MK-CP45069A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45069	20W	150x150x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45069A	20W	150x150x800mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45070



Power	Size	Material	Input	IP Rating	CRI
20W	150x150x850mm	Aluminum	AC85-265V	IP65	80+



MK-CP45070A



Power	Size	Material	Input	IP Rating	CRI
20W	150x150x850mm	Aluminum	AC85-265V	IP65	80+



MK-Z45070




Power	Size	Material	Input	IP Rating	CRI
20W	150x150x190mm	Aluminum	AC85-265V	IP65	80+



MK-W45070



Power	Size	Material	Input	IP Rating	CRI
20W	150x185x290mm	Aluminum	AC85-265V	IP65	80+






MK-CP45071



Power	Size	Material	Input	IP Rating	CRI
20W	150x150x850mm	Aluminum	AC85-265V	IP65	80+



MK-CP45071A



Power	Size	Material	Input	IP Rating	CRI
20W	150x150x850mm	Aluminum	AC85-265V	IP65	80+



MK-Z45071



Power	Size	Material	Input	IP Rating	CRI
20W	150x150x190mm	Aluminum	AC85-265V	IP65	80+



MK-W45071



Power	Size	Material	Input	IP Rating	CRI
20W	150x185x290mm	Aluminum	AC85-265V	IP65	80+







MK-CP45074 MK-W45074



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45074	18W	170x150x750mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45074	18W	170x150x80mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45078 MK-W45065B




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45078	18W	100x140x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45078	18W	100x155x220mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP45078A MK-W45078A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45078A	18W	100x140x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45078A	18W	100x155x220mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45078B MK-W45078B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45078B	18W	100x140x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45078B	18W	100x155x220mm	Aluminum	Black	AC85-265V	IP65	80+



MK-Z45080 MK-Z45081



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-Z45080	6W	150x150x230mm	Aluminum	Black	AC85-265V	IP65	80+
MK-Z45081	6W	150x150x230mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP19072 MK-CP19002



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP19072	3x5W	390x345x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19002	7W	175x820mm	Aluminum	Black	AC85-265V	IP65	80+







MK-CP45080 MK-CP45081



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45080	E27	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45081	E27	Ø165x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45080A MK-CP45081A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45080A	5-7W	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45081A	5-7W	Ø165x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP45080B MK-CP45081B



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP45080B	E27	150x150x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP45081B	E27	Ø165x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP19214 MK-CP19215



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP19214	GU10	150x150x800mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19215	GU10	Ø150x800mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45081 MK-W45082



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45081	18W	210x210x70mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45082	18W	Ø210x70mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W45083 MK-W45083A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45083	18W	210x210x86mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45083A	18W	210x210x86mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W45084 MK-W45084A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W45084	18W	Ø230x86mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W45084A	18W	Ø230x86mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W46001 MK-CP46001



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46001	12W	214.5x214.5x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46001	12W	214.5x245x254mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP46003 MK-W46003



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46003	12W	220x264.5x241mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46003	12W	220x220x600mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP46004 MK-W46004



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46004	12W	220x240x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46004	12W	240x270x290mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP46004A MK-W46004A



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP46004A	12W	220x240x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W46004A	12W	240x270x290mm	Aluminum	Black	AC85-265V	IP65	80+