

OSRAM

PHILIPS

CREE

EPISTAR

NICHIA

SEOUL

SAMSUNG



中山市镁特丽照明有限公司
MINK LED LIGHTING CO.,LTD

Phone number

+86 134 2040 8061

+853 6855 5317

Email

maggie@minkled.cn

maggieguzhen@163.com

Address

Floor 4-5, Building 4th, NO.33, Dongxing East Road, Guzhen Town, Zhongshan City



MINK 镁特丽

Explore the beauty of nature.

探索自然之美



2025-2026
Garden Linear light

A night garden scene featuring a stone path that leads into a dense garden. The path is illuminated by warm, yellow, low-profile lights. The garden is filled with various plants, including tall grasses, purple flowers, and white flowers. The overall atmosphere is serene and inviting.

**Welcome to the
outdoor world of MK.**

公司简介/Company Profile



中山市镁特丽照明有限公司是一家专注于户外照明产品设计和生产的综合性公司。中山市镁特丽光电有限公司成立于2011年,我们有一百多名工人,厂房面积6000m²,我们的产品销往欧洲、南美、东南亚、中东等。“MK,你的防水专家”是我们的使命,用最好的建筑照明解决方案和视觉舒适度创造情感。我们坚持创新务实的发展理念,超越自己,并追求卓越。我们一直专注于产品开发,始终以客户为中心,依靠不断提升的创新能力,整合灵活的单品定制能力,日益完善的配送能力和不断完善的售后服务成为深受客户信赖的品牌,公司以强大的开发能力为基础,致力于为园林、庭院氛围照明打造全系列照明产品。目前,公司主要产品有五大系列:地插灯、地埋灯、户外壁灯、墙角灯、庭院灯。

中山市镁特丽照明有限公司不断加快创新设计和研发的步伐,为客户提供优质、极致的服务是公司的发展准则,将低碳、环保、节能贯彻到底结合市场需求为客户创造更大的价值。

Zhongshan MINK LED LIGHTING CO.,LTD. is a comprehensive company focusing on the design and production of outdoor lighting products. Zhongshan MINK LED Lighting Co., Ltd. was established in 2011. We have more than 100 workers and 6000 square meters factory. We sold to Europe, South America, southeast Asia, middle east and so on."MK, your waterproof expert" is our mission to create emotions with the best architectural lighting solutions and visual comfort. We adhere to the innovative and pragmatic development concept, surpass ourselves, and pursue excellence. We have always focused on product development, always customer-centric, relying on the continuous improvement of innovation capabilities, integrating flexible single product customization capabilities, increasingly improved distribution capabilities and continuously improved after-sales service to become a brand trusted by customers. The company is based on strong development capabilities and is committed to creating a full range of lighting products for garden and courtyard atmosphere lighting. At present, the company's main products include five series: ground plug lamps, underground lamps, outdoor wall lamps, corner lamps, and garden lamps. Zhongshan MINK LED LIGHTING CO.,LTD. continues to accelerate the pace of innovative design and research and development. Providing customers with high-quality and extreme services is the company's development principle. It will implement low-carbon, environmental protection, and energy saving to the end and combine market demand to create greater value for customers.

公司展厅/Company Showroom



公司展厅 / Company Showroom



防水测试仪器
Simulate Waterproof Tester



雷击浪涌测试仪
Lightning Surge Generator




多路温度测试仪
Multiplex Temperature meter



光光电综合测试系统
Spectroscopic analysis system




ZC93-3型绝缘电阻表
ZC93-3 Type insulation resistance meter




老化测试
Aging test



装配线
Production Line




包装过程
Packaging process



CERTIFICATE (HAVE CE,GS,ROHS AND ERP6000 HOURS)






MK-W9911




Power	Size	Material	Light Source
6W	80x25x300mm	Aluminum	SMD
15W	80x25x600mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+



MK-W6614




Power	Size	Material	Light Source
12W	25x75x600mm	Aluminum	SMD
18W	25x75x900mm	Aluminum	SMD
24W	25x75x1200mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+



MK-W21003




Power	Size	Material	Light Source
12W	20xH800mm	Aluminum	SMD
14W	20xH1000mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+



MK-W6619




Power	Size	Material	Light Source
12W	20xH800mm	Aluminum	SMD
14W	20xH1000mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-W6601





Power	Size	Material	Light Source
9W	45xH300mm	Aluminum	SMD
14W	45xH600mm	Aluminum	SMD
24W	45xH800mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+



MK-W6616



Power	Size	Material	Light Source
6W	420x100x50mm	Aluminum	SMD
9W	620x100x50mm		
Color	Input	IP Rating	CRI
Black	AC85-265V	IP54	80+




MK-W47012



Power	Size	Material	Light Source
6W	Ø13x600mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black / White	AC220V	IP54	80+
Red+White			
Red+Black			
Black+White			



MK-W47011




Power	Size	Material	Light Source
12W	Ø13x1200mm	Aluminum	SMD
18W	Ø13x1500mm	Aluminum	SMD
22W	Ø13x1800mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC220V	IP54	80+
Black	AC220V	IP54	80+
Black	AC220V	IP54	80+



MK-W47010





Power	Size	Material	Light Source
9W	Ø13x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC220V	IP54	80+



MK-W6607



Power	Size	Material	Light Source
6W	Ø13x90x600mm Ø13x109x600mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-W6604




Power	Size	Material	Light Source
6W	Ø35x60x600mm	Aluminum	SMD
9W	Ø35x60x900mm	Aluminum	SMD
12W	Ø35x60x1200mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC220V	IP54	80+
Black	AC220V	IP54	80+
Black	AC220V	IP54	80+



MK-W47002



Power	Size	Material	Light Source
9W	Ø13x900mm	Aluminum	SMD
10W	Ø13x1000mm	Aluminum	SMD
15W	Ø13x1500mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC220V	IP54	80+
Black	AC220V	IP54	80+
Black	AC220V	IP54	80+




MK-W5601

Power:13W
IP Rating:IP44
Material:Aluminum
Size:1310x33x40mm
Input:AC220-240V
Output:DC24V



MK-W5602

Power:13W
IP Rating:IP44
Material:Aluminum
Size:1310x33x55mm
Input:AC220-240V
Output:DC24V



MK-W5603

Power:13W
IP Rating:IP44
Material:Aluminum
Size:1310x125x40mm
Input:AC220-240V
Output:DC24V



MK-W5604

Power:10W
IP Rating:IP44
Material:Aluminum
Size:Ø500x40mm
Input:AC220-240V
Output:DC24V




MK-W5605

Power:10W
IP Rating:IP44
Material:Aluminum
Size:500x500x40mm
Input:AC220-240V
Output:DC24V



MK-W5606

Power:12W
IP Rating:IP44
Material:Aluminum
Size:1000x212x40mm
Input:AC220-240V
Output:DC24V



MK-W5607

Power:10W
IP Rating:IP44
Material:Aluminum
Size:1000x100x40mm
Input:AC220-240V
Output:DC24V



MK-W5608

Power:10W
IP Rating:IP44
Material:Aluminum
Size:1000x100x40mm
Input:AC220-240V
Output:DC24V



MK-W5609

Power:7W
IP Rating:IP44
Material:Aluminum
Size:731x34.4x61mm
Input:AC220-240V
Output:DC24V



MK-ZT6620



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-ZT6620	6-12W	Ø250x115mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W6620 MK-CP6605



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W6620	6-12W	Ø250x255mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP6605	6-12W	Ø248x680mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP9915




Power	Size	Material	Light Source
10W	150x55x575mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP9916




Power	Size	Material	Light Source
10W	Ø180x585mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP9917




Power	Size	Material	Light Source
10W	100x120x580mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP19002




Power	Size	Material	Light Source
7W	173x822.5mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP6601




Power	Size	Material	Light Source
7W 7-10W	Ø50x500mm Ø65x600mm	Aluminum Aluminum	SMD SMD
Color	Input	IP Rating	CRI
Black Black	AC85-265V AC85-265V	IP54 IP54	80+ 80+



MK-CP6615



Power	Size	Material	Light Source
6W 6W	150x150x300mm 150x150x600mm	Aluminum Aluminum	SMD SMD
Color	Input	IP Rating	CRI
Black Black	AC85-265V AC85-265V	IP54 IP54	80+ 80+



MK-W6615




Power	Size	Material	Light Source
12W(H300mm) 18W(H450mm)	120x120x300mm 120x120x450mm 140x140x300mm 140x140x450mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-W6615-木纹



Power	Size	Material	Light Source
12W(H300mm) 18W(H450mm)	120x120x300mm 120x120x450mm 140x140x300mm 140x140x450mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+




MK-CP6608
MK-CP6609



Power	Size	Material	Light Source
12W	640x455mm	Aluminum	SMD
12W	822x342mm	Aluminum	SMD

Color	Input	IP Rating	CRI
Black	AC85-265V/DC24V	IP65	80+
Black	AC85-265V/DC24V	IP65	80+



MK-W6620



Power	Size	Material	Light Source
6W	199x80mm	Aluminum	SMD
9W	249x96mm	Aluminum	SMD

Color	Input	IP Rating	CRI
Black	AC85-265V/DC24V	IP65	80+
Black	AC85-265V/DC24V	IP65	80+




MK-W6618



Power	Size	Material	Light Source	Color	Input	IP Rating	CRI
15W	300x313mm	Aluminum	SMD	black	AC85-265V/DC24V	IP65	80+
21W	450x463mm						
40W	900x913mm						



MK-CP6618




Power	Size	Material	Light Source
15W	300x313mm	Aluminum	SMD
21W	450x463mm	Aluminum	SMD
24W	450x463mm	Aluminum	SMD
40W	900x913mm	Aluminum	SMD
45W	900x913mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V/DC24V	IP54	80+
Black	AC85-265V/DC24V	IP54	80+
Black	AC85-265V/DC24V	IP54	80+
Black	AC85-265V/DC24V	IP54	80+
Black	AC85-265V/DC24V	IP54	80+



MK-CP6607




Power	Size	Material	Light Source	Color	Input	IP Rating	CRI
0.5W	Ø25x650mm	Aluminum+Acrylic	SMD	black	DC24V	IP65	80+



MK-CP6603



Power 7W	Size 140x660mm	Material Aluminum	Light Source SMD
Color Black	Input DC24V	IP Rating IP65	CRI 80+



MK-W47001



Power	Size	Material	Light Source
6W	Ø35x60x600mm	Aluminum	SMD
9W	Ø35x60x900mm	Aluminum	SMD
12W	Ø35x60x1200mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+




MK-CP47004



Power	Size	Material	Light Source
5W	280x35x600mm	Iron	COB
Color	Input	IP Rating	CRI
Black	DC24V	IP65	80+



MK-W47008




Power	Size	Material	Light Source
5W	Ø120x350mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC220V	IP54	80+



MK-CP47006



Power	Size	Material	Light Source
5W	Ø120x600mm	Aluminum	SMD
5W	Ø120x800mm	Aluminum	SMD
5W	Ø120x1000mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+



MK-CP6610




Power	Size	Material	Light Source
3W	Ø65x350mm	Iron+Acrylic	SMD
3W	Ø65x350mm	Iron+Acrylic	SMD
3W	Ø50x670mm	Iron+Acrylic	SMD
3W	Ø80x765mm	Iron+Acrylic	SMD
3W	Ø100x865mm	Iron+Acrylic	SMD
Color	Input	IP Rating	CRI
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+



MK-CP6604




Power	Size	Material	Light Source
4W	Ø60x420mm	Iron	SMD
4W	Ø60x530mm	Iron	SMD
6W	Ø70x640mm	Iron	SMD
6W	Ø70x750mm	Iron	SMD
8W	Ø80x860mm	Iron	SMD
8W	Ø80x970mm	Iron	SMD
Color	Input	IP Rating	CRI
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+



MK-CP47008



Power	Size	Material	Light Source
4W	Ø65x750mm	Iron	SMD
4W	Ø65x860mm	Iron	SMD
4W	Ø65x970mm	Iron	SMD
4W	Ø65x1190mm	Iron	SMD
Color	Input	IP Rating	CRI
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+
Black	DC24V	IP54	80+



MK-CP19070 MK-CP19071
MK-CP19072




Power	Size	Material	Light Source
5W	Ø110x275x600mm	Aluminum	SMD
2x5W	Ø110x390x600mm	Aluminum	SMD
3x5W	Ø110x390x800mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP47001




Power	Size	Material	Light Source
1xG4	120x100x750mm	Aluminum+Iron	-
2xG4	164x164x1100mm	Aluminum+Iron	-
2xG4	227x100x1450mm	Aluminum+Iron	-
Color	Input	IP Rating	CRI
Black	DC24V	IP54	-
Black	DC24V	IP54	-
Black	DC24V	IP54	-




MK-CP47015 MK-CP47016



Power	Size	Material	Light Source
2xG9	180x180x500mm	Aluminum	-
2xG9	180x180x700mm	Aluminum	-
Color	Input	IP Rating	CRI
Black	DC24V	IP54	-
Black	DC24V	IP54	-






MK-CP6602



Power	Size	Material	Light Source
2W	Ø30x185x650mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	DC24V	IP54	80+



MK-W6602



Power	Size	Material	Light Source
2W	50x25x120mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	DC24V	IP20	80+