

OSRAM

PHILIPS

CREE

EPISTAR

NICHIA

SEOUL

SAMSUNG



中山市镁特丽照明有限公司
MINK LED LIGHTING CO.,LTD

Phone number

+86 134 2040 8061

+853 6855 5317

Email

maggie@minkled.cn

maggieguzhen@163.com

Address

Floor 4-5, Building 4th, NO.33, Dongxing East Road, Guzhen Town, Zhongshan City



MIK 镁特丽

Explore the beauty of nature.

探索自然之美



Garden light
Catalogue



Welcome to the
outdoor world of MK.

公司简介/Company Profile




中山市镁特丽照明有限公司是一家专注于户外照明产品设计和生产的综合性公司。中山市镁特丽光电有限公司成立于2011年,我们有一百多名工人,厂房面积6000m²,我们的产品销往欧洲、南美、东南亚、中东等。“MK,你的防水专家”是我们的使命,用最好的建筑照明解决方案和视觉舒适度创造情感。我们坚持创新务实的发展理念,超越自己,并追求卓越。我们一直专注于产品开发,始终以客户为中心,依靠不断提升的创新能力,整合灵活的单品定制能力,日益完善的配送能力和不断完善的售后服务成为深受客户信赖的品牌,公司以强大的开发能力为基础,致力于为园林、庭院氛围照明打造全系列照明产品。目前,公司主要产品有五大系列:地插灯、地埋灯、户外壁灯、墙角灯、庭院灯。中山市镁特丽照明有限公司不断加快创新设计和研发的步伐,为客户提供优质、极致的服务是公司的发展准则,将低碳、环保、节能贯彻到底结合市场需求为客户创造更大的价值。

Zhongshan MINK LED LIGHTING CO.,LTD. is a comprehensive company focusing on the design and production of outdoor lighting products. Zhongshan MINK LED Lighting Co., Ltd. was established in 2011. We have more than 100 workers and 6000 square meters factory. We sold to Europe, South America, southeast Asia, middle east and so on."MK, your waterproof expert" is our mission to create emotions with the best architectural lighting solutions and visual comfort. We adhere to the innovative and pragmatic development concept, surpass ourselves, and pursue excellence. We have always focused on product development, always customer-centric, relying on the continuous improvement of innovation capabilities, integrating flexible single product customization capabilities, increasingly improved distribution capabilities and continuously improved after-sales service to become a brand trusted by customers. The company is based on strong development capabilities and is committed to creating a full range of lighting products for garden and courtyard atmosphere lighting. At present, the company's main products include five series: ground plug lamps, underground lamps, outdoor wall lamps, corner lamps, and garden lamps. Zhongshan MINK LED LIGHTING CO.,LTD. continues to accelerate the pace of innovative design and research and development. Providing customers with high-quality and extreme services is the company's development principle. It will implement low-carbon, environmental protection, and energy saving to the end and combine market demand to create greater value for customers.

公司展厅/Company Showroom



公司展厅 / Company Showroom



防水测试仪器
Simulate Waterproof Tester



雷击浪涌测试仪
Lightning Surge Generator




多路温度测试仪
Multiplex Temperature meter



光光电综合测试系统
Spectroscopic analysis system




ZC93-3型绝缘电阻表
ZC93-3 Type insulation resistance meter



老化测试
Aging test



装配线
Production Line



包装过程
Packaging process



CERTIFICATE (HAVE BSCI, ISO9001, CE, ROHs, BIS, ERP, IP67)





MK-ZT6620



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-ZT6620	12W	Ø250x115mm	Aluminum	Black	AC85-265V	IP65	80+




MK-W6620 MK-CP6605



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W6620	12W	Ø250x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP6605	12W	Ø248x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP6605	12W	Ø248x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP6605	12W	Ø248x900mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP9915




Power	Size	Material	Light Source
10W	150x55x300mm	Aluminum	SMD
10W	150x55x600mm	Aluminum	SMD
10W	150x55x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP9916



Power	Size	Material	Light Source
10W	Ø180x300mmm	Aluminum	SMD
10W	Ø180x600mmm	Aluminum	SMD
10W	Ø180x900mmm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6017



Power	Size	Material	Light Source
3W/GU10	205x120x300mm	Aluminum	SMD
3W/GU10	205x120x600mm	Aluminum	SMD
3W/GU10	205x120x800mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP6019



Power	Size	Material	Light Source
2x3W/2xGU10	290x120x300mm	Aluminum	SMD
2x3W/2xGU10	290x120x600mm	Aluminum	SMD
2x3W/2xGU10	290x120x800mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP6623-1




Power	Size	Material	Input	IP Rating	CRI
1xGU10	200x100x300mm	Aluminum	AC85-265V	IP65	80+
1xGU10	200x100x600mm	Aluminum	AC85-265V	IP65	80+
1xGU10	200x100x900mm	Aluminum	AC85-265V	IP65	80+




MK-CP6623-2



Power	Size	Material	Input	IP Rating	CRI
2xGU10	320x100x300mm	Aluminum	AC85-265V	IP65	80+
2xGU10	320x100x600mm	Aluminum	AC85-265V	IP65	80+
2xGU10	320x100x900mm	Aluminum	AC85-265V	IP65	80+



MK-CP6624-1



Power	Size	Material	Input	IP Rating	CRI
1xGU10	200x100x300mm	Aluminum	AC85-265V	IP65	80+
1xGU10	200x100x600mm	Aluminum	AC85-265V	IP65	80+
1xGU10	200x100x900mm	Aluminum	AC85-265V	IP65	80+




MK-CP6624-2




Power	Size	Material	Input	IP Rating	CRI
2xGU10	320x100x300mm	Aluminum	AC85-265V	IP65	80+
2xGU10	320x100x600mm	Aluminum	AC85-265V	IP65	80+
2xGU10	320x100x900mm	Aluminum	AC85-265V	IP65	80+







MK-CP6625




Power	Size	Material	Light Source
2xGU10	260x110x300mm	Aluminum	GU10
2xGU10	260x110x600mm	Aluminum	GU10
2xGU10	260x110x900mm	Aluminum	GU10
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	\
Black	AC85-265V	IP65	\
Black	AC85-265V	IP65	\



MK-CP6626




Power	Size	Material	Light Source
2xGU10	260x110x300mm	Aluminum+Acrylic	GU10
2xGU10	260x110x600mm	Aluminum+Acrylic	GU10
2xGU10	260x110x900mm	Aluminum+Acrylic	GU10
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	\
Black	AC85-265V	IP65	\
Black	AC85-265V	IP65	\



MK-CP6601





Power	Size	Material	Light Source
7W	Ø50x500mm	Aluminum	SMD
7-10W	Ø65x600mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP54	80+
Black	AC85-265V	IP54	80+




MK-CP0801





Power	Size	Material	Light Source
7W	Ø260x300mm	Aluminum	SMD
7W	Ø260x600mm	Aluminum	SMD
7W	Ø260x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP9917




Power	Size	Material	Light Source
10W	100x120x300mm	Aluminum	SMD
10W	100x120x600mm	Aluminum	SMD
10W	100x120x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19002





Power	Size	Material	Light Source
7W	175x300mm	Aluminum	SMD
7W	175x600mm	Aluminum	SMD
7W	175x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6613




Power	Size	Material	Light Source
7W	100x100x300mm	Aluminum+PC	SMD
7W	100x100x600mm	Aluminum+PC	SMD
7W	100x100x900mm	Aluminum+PC	SMD
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+



MK-CP6614




Power	Size	Material	Light Source
7W	ø80x300mm	Aluminum+Plastic	SMD
7W	ø80x600mm	Aluminum+Plastic	SMD
7W	ø80x900mm	Aluminum+Plastic	SMD
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+



MK-CP6502




Power	Size	Material	Light Source
7W	145x145x300mm	Aluminum+PC	SMD
7W	145x145x600mm	Aluminum+PC	SMD
7W	145x145x900mm	Aluminum+PC	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6503




Power	Size	Material	Light Source
7W	ø40x80x300mm	Aluminum+Plastic	SMD
7W	ø40x80x600mm	Aluminum+Plastic	SMD
7W	ø40x80x900mm	Aluminum+Plastic	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6507




Power	Size	Material	Light Source
7W	170x145x300mm	Aluminum+PC	SMD
7W	170x145x600mm	Aluminum+PC	SMD
7W	170x145x900mm	Aluminum+PC	SMD
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+



MK-CP6619




Power	Size	Material	Light Source
E26	ø110x300mm	Aluminum+Plastic	E26
E26	ø110x600mm	Aluminum+Plastic	E26
E26	ø110x900mm	Aluminum+Plastic	E26
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19074-400




Power	Size	Material	Input	IP Rating	CRI
12W	200x200x400mm	Aluminum	AC85-265V	IP65	80+



MK-CP19074-600



Power	Size	Material	Input	IP Rating	CRI
12W	200x200x600mm	Aluminum	AC85-265V	IP65	80+




MK-CP19074-800



Power	Size	Material	Input	IP Rating	CRI
12W	200x200x800mm	Aluminum	AC85-265V	IP65	80+






MK-CP6012-400




Power	Size	Material	Input	IP Rating	CRI
3W	100x100x400mm	Aluminum	AC85-265V	IP65	80+



MK-CP6012-600




Power	Size	Material	Input	IP Rating	CRI
3W	80x80x600mm	Aluminum	AC85-265V	IP65	80+




MK-CP6012-800




Power	Size	Material	Input	IP Rating	CRI
10W	100x100x800mm	Aluminum	AC85-265V	IP65	80+



MK-CP6616




Power	Size	Material	Input	IP Rating	CRI
4W	160x140x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP6617



Power	Size	Material	Input	IP Rating	CRI
5W	200x155x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP6504




Power	Size	Material	Input	IP Rating	CRI
5W	170x65x600mm	Aluminum	AC85-265V	IP65	80+



MK-CP6506



Power	Size	Material	Light Source
10W	120x120x180mm	Aluminum	SMD
10W	Ø120x180mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6505




Power	Size	Material	Light Source
10W	Ø108x300mm	Aluminum	SMD
10W	Ø108x600mm	Aluminum	SMD
10W	Ø108x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6506




Power	Size	Material	Light Source
10W	108x108x300mm	Aluminum	SMD
10W	108x108x600mm	Aluminum	SMD
10W	108x108x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6606




Power	Size	Material	Light Source
6W	115x80x300mm	Aluminum	COB
6W	115x80x600mm	Aluminum	COB
6W	115x80x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP41035




Power	Size	Material	Light Source
12W	Ø 120x300mm	Aluminum+PC	SMD
12W	Ø 120x600mm	Aluminum+PC	SMD
12W	Ø 120x900mm	Aluminum+PC	SMD
12W	120x120x300mm	Aluminum+PC	SMD
12W	120x120x600mm	Aluminum+PC	SMD
12W	120x120x900mm	Aluminum+PC	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6021




Power	Size	Material	Light Source
10W	100x100x300mm	Aluminum	SMD
10W	100x100x600mm	Aluminum	SMD
10W	100x100x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6022




Power	Size	Material	Light Source
5W	160x80x300mm	Aluminum	COB
5W	160x80x600mm	Aluminum	COB
5W	160x80x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP24008



Power	Size	Material	Light Source
12W	160x170x300mm	Aluminum+Acrylic	SMD
12W	160x170x600mm	Aluminum+Acrylic	SMD
12W	160x170x800mm	Aluminum+Acrylic	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP24009



Power	Size	Material	Light Source
12W	160x170x300mm	Aluminum+Acrylic	SMD
12W	160x170x600mm	Aluminum+Acrylic	SMD
12W	160x170x800mm	Aluminum+Acrylic	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+






MK-CP6004




Power	Size	Material	Light Source
8W	Ø 160x300mm	Aluminum	COB
8W	Ø 160x600mm	Aluminum	COB
8W	Ø 160x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6005




Power	Size	Material	Light Source
7W	120x120x300mm	Aluminum	COB
7W	120x120x600mm	Aluminum	COB
7W	120x120x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6013



Power	Size	Material	Light Source
5W	Ø 110x300mm	Aluminum	COB
5W	Ø 110x600mm	Aluminum	COB
5W	Ø 110x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6007




Power	Size	Material	Light Source
6W	Ø 130x300mm	Aluminum	SMD
6W	Ø 130x600mm	Aluminum	SMD
6W	Ø 130x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6001




Power	Size	Material	Light Source
10W	150x100x300mm	Aluminum	COB
10W	150x100x600mm	Aluminum	COB
10W	150x100x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6006




Power	Size	Material	Light Source
5W	152x152x300mm	Aluminum	COB
5W	152x152x600mm	Aluminum	COB
5W	152x152x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6016



Power	Size	Material	Light Source
10W	80x170x300mm	Aluminum	COB
10W	80x170x600mm	Aluminum	COB
10W	80x170x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6023




Power	Size	Material	Light Source
10W+3W	Ø120x300mm	Aluminum	SMD
10W+3W	Ø120x600mm	Aluminum	SMD
10W+3W	Ø120x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6020





Power	Size	Material	Light Source
7-12W	120x60x300mm	Aluminum	SMD
7-12W	120x60x600mm	Aluminum	SMD
7-12W	120x60x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6008




Power	Size	Material	Light Source
7-12W	150x150x300mm	Aluminum	COB
7-12W	150x150x600mm	Aluminum	COB
7-12W	150x150x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP6003-1



Power	Size	Material	Light Source
7W	120x90x755mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+





MK-CP6003-2



Power	Size	Material	Light Source
2x7W	120x90x1210mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+






MK-9020A




Power	Size	Material	Light Source
12W	110X110x300mm	Aluminum	COB
12W	110X110x600mm	Aluminum	COB
12W	110X110x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-061



Power	Size	Material	Light Source
10W	169x70x300mm	Aluminum	COB
10W	169x70x600mm	Aluminum	COB
10W	169x70x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-C2019




Power	Size	Material	Light Source
12W	Ø 120x300mm	Aluminum	COB
12W	Ø 120x600mm	Aluminum	COB
12W	Ø 120x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-C2042




Power	Size	Material	Light Source
12W	Ø 155x300mm	Aluminum	COB
12W	Ø 155x600mm	Aluminum	COB
12W	Ø 155x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23050
MK-CP23051




Power	Size	Material	Light Source
10W	170x100x300mm	Aluminum	SMD
10W	170x100x600mm	Aluminum	SMD
10W	170x100x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19067




Power	Size	Material	Light Source
7W	115x70x300mm	Aluminum	COB
7W	115x70x600mm	Aluminum	COB
7W	115x70x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23093




Power	Size	Material	Light Source
12W	290x180x300mm	Aluminum	SMD
12W	290x180x600mm	Aluminum	SMD
12W	290x180x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23098




Power	Size	Material	Light Source
18W	100x50x300mm	Aluminum	SMD
18W	100x50x600mm	Aluminum	SMD
18W	100x50x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19053




Power	Size	Material	Light Source
18W	120x100x300mm	Aluminum+PC	SMD
18W	120x100x600mm	Aluminum+PC	SMD
18W	120x100x900mm	Aluminum+PC	SMD
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+



MK-CP19080



Power	Size	Material	Light Source
12W	150x150x300mm	Aluminum+Plastic	SMD
12W	150x150x600mm	Aluminum+Plastic	SMD
12W	150x150x900mm	Aluminum+Plastic	SMD
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+



MK-881F



Power	Size	Material	Light Source
12W	160x50x300mm	Aluminum	COB
12W	160x50x600mm	Aluminum	COB
12W	160x50x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-881Y



Power	Size	Material	Light Source
12W	160x50x300mm	Aluminum	COB
12W	160x50x600mm	Aluminum	COB
12W	160x50x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP4129



Power	Size	Material	Light Source
1xGU10	160x60x300mm	Aluminum	GU10
1xGU10	160x60x600mm	Aluminum	GU10
1xGU10	160x60x900mm	Aluminum	GU10
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




	MK-Z23021F MK-Z23021Y			
	Power	Size	Material	Light Source
	10W	103x103x108mm	Aluminum	CREE
	10W	Ø103x108mm	Aluminum	CREE
	Color	Input	IP Rating	CRI
	Black	AC85-265V	IP65	80+
	Black	AC85-265V	IP65	80+



MK-C23001




Power	Size	Material	Input	IP Rating	CRI
10W	108x108x258mm	Aluminum	AC85-265V	IP65	80+



MK-C23002




Power	Size	Material	Input	IP Rating	CRI
10W	108x258mm	Aluminum	AC85-265V	IP65	80+



MK-CP23094




Power	Size	Material	Input	IP Rating	CRI
10W	108x108x300mm	Aluminum	AC85-265V	IP65	80+
10W	108x108x600mm	Aluminum	AC85-265V	IP65	80+
10W	108x108x900mm	Aluminum	AC85-265V	IP65	80+



MK-CP23095




Power	Size	Material	Input	IP Rating	CRI
10W	108x300mm	Aluminum	AC85-265V	IP65	80+
10W	108x600mm	Aluminum	AC85-265V	IP65	80+
10W	108x900mm	Aluminum	AC85-265V	IP65	80+



MK-CP6621-415




Power	Size	Material	Input	IP Rating	CRI
1xE27	250x250x415mm	Aluminum	AC85-265V	IP65	80+



MK-CP6621-615




Power	Size	Material	Input	IP Rating	CRI
1xE27	250x250x615mm	Aluminum	AC85-265V	IP65	80+



MK-CP6621-815



Power	Size	Material	Input	IP Rating	CRI
1xE27	250x250x815mm	Aluminum	AC85-265V	IP65	80+



MK-CP41018




Power	Size	Material	Light Source
1x5W	100x100x300mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP41019



Power	Size	Material	Light Source
2x5W	100x100x600mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP41020



Power	Size	Material	Light Source
3x5W	100x100x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP41021




Power	Size	Material	Light Source
1x5W	100x100x300mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP41022




Power	Size	Material	Light Source
2x5W	100x100x600mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP41023




Power	Size	Material	Light Source
3x5W	100x100x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP41026




Power	Size	Material	Light Source
5W	147x110x300mm	Aluminum	SMD
5W	147x110x600mm	Aluminum	SMD
5W	147x110x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP41025




Power	Size	Material	Light Source
5W	130x130x300mm	Aluminum	SMD
5W	130x130x600mm	Aluminum	SMD
5W	130x130x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19079-1



Power	Size	Material	Light Source
1x6W	Ø 130x300mm	Aluminum	SMD
1x6W	Ø 130x600mm	Aluminum	SMD
1x6W	Ø 130x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19080-2



Power	Size	Material	Light Source
2x6W	130x259x300mm	Aluminum	SMD
2x6W	130x259x600mm	Aluminum	SMD
2x6W	130x259x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP19059



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-CP19059	18W	180x180x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19059	18W	180x180x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19059	18W	180x180x900mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W19196-Sensor



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W19196	18W	180x282x520mm	Aluminum	Black	AC85-265V	IP65	80+




MK-CP19072 MK-W19175



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W19175	18W	201x296x470mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19072	18W	200x296x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19072	18W	200x296x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19072	18W	200x296x900mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP19014 MK-W19020



Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W19020	12W	230x190x170mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19014	12W	265x190x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19014	12W	265x190x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19014	12W	265x190x900mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W19245 Series




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W19245	1xE27	201x296x470mm	Aluminum	Black	AC85-265V	IP65	80+
MK-W19245-Sensor	1xE27	201x296x520mm	Aluminum	Black	AC85-265V	IP65	80+



MK-W19246B MK-CP19142




Model	Power	Size	Material	Color	Input	IP Rating	CRI
MK-W19246B	1xE27	201x230x245mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19142	1xE27	201x273x300mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19142	1xE27	201x273x600mm	Aluminum	Black	AC85-265V	IP65	80+
MK-CP19142	1xE27	201x273x900mm	Aluminum	Black	AC85-265V	IP65	80+



MK-CP21016




Power	Size	Material	Light Source
20W	135x120x1000mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+



MK-CP21002




Power	Size	Material	Light Source
6W	Ø180x300mm	Aluminum	SMD
6W	Ø180x600mm	Aluminum	SMD
6W	Ø180x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP19141



Power	Size	Material	Light Source
7W	144x196x300mm	Aluminum	COB
7W	144x196x600mm	Aluminum	COB
7W	144x196x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP21001



Power	Size	Material	Light Source
3W	220x100x300mm	Aluminum	COB
3W	220x100x600mm	Aluminum	COB
3W	220x100x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP23012




Power	Size	Material	Light Source
12W	Ø150x300mm	Aluminum	SMD
12W	Ø150x600mm	Aluminum	SMD
12W	Ø150x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP2307



Power	Size	Material	Light Source
12W	Ø150x300mm	Aluminum	SMD
12W	Ø150x600mm	Aluminum	SMD
12W	Ø150x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23002




Power	Size	Material	Light Source
10W	70x70x300mm	Aluminum	SMD
10W	70x70x600mm	Aluminum	SMD
10W	70x70x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23001




Power	Size	Material	Light Source
10W	50x50x300mm	Aluminum	SMD
10W	50x50x600mm	Aluminum	SMD
10W	50x50x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23011
MK-CP23013



Power	Size	Material	Light Source
12W	Ø 150x300mm	Aluminum	SMD
12W	Ø 150x600mm	Aluminum	SMD
12W	Ø 150x900mm	Aluminum	SMD
12W	150x150x300mm	Aluminum	SMD
12W	150x150x600mm	Aluminum	SMD
12W	150x150x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23030



Power	Size	Material	Light Source
12W	Ø 150x300mm	Aluminum	SMD
12W	Ø 150x600mm	Aluminum	SMD
12W	Ø 150x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23034





Power	Size	Material	Light Source
E27/15W	150x150x300mm	Aluminum	E27/SMD
E27/15W	150x150x600mm	Aluminum	E27/SMD
E27/15W	150x150x900mm	Aluminum	E27/SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23035




Power	Size	Material	Light Source
E27/15W	150x150x300mm	Aluminum	E27/SMD
E27/15W	150x150x600mm	Aluminum	E27/SMD
E27/15W	150x150x900mm	Aluminum	E27/SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19182



Power	Size	Material	Light Source
12W	150x150x300mm	Aluminum	COB
12W	150x150x600mm	Aluminum	COB
12W	150x150x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP19183



Power	Size	Material	Light Source
12W	Ø 165x300mm	Aluminum	COB
12W	Ø 165x600mm	Aluminum	COB
12W	Ø 165x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23023




Power	Size	Material	Light Source
12W	185x160x300mm	Aluminum	SMD
12W	185x160x600mm	Aluminum	SMD
12W	185x160x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP19025




Power	Size	Material	Light Source
12W	100x100x300mm	Aluminum	COB
12W	100x100x600mm	Aluminum	COB
12W	100x100x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP23006



Power	Size	Material	Light Source
7-10W	108x108x600mm	Aluminum	COB
7-10W	108x108x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP23007



Power	Size	Material	Light Source
7-10W	Ø108x600mm	Aluminum	COB
7-10W	Ø108x900mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP51004



Power	Size	Material	Light Source
E27 MAX 40W	200x135x300mm	Aluminum	E27
E27 MAX 40W	200x135x600mm	Aluminum	E27
E27 MAX 40W	200x135x900mm	Aluminum	E27
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+




MK-CP51001
MK-CP51002



Power	Size	Material	Light Source
E27 MAX 40W	60x60x300mm	Aluminum+Plastic	E27
E27 MAX 40W	60x60x600mm	Aluminum+Plastic	E27
E27 MAX 40W	60x60x900mm	Aluminum+Plastic	E27
Color	Input	IP Rating	CRI
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+
Black	AC220-240V	IP65	80+



MK-CP51006



Power	Size	Material	Input	IP Rating	CRI
1xE27	190x190x320mm	Aluminum	AC85-265V	IP65	80+



MK-CP51007



Power	Size	Material	Input	IP Rating	CRI
1xE27	130x130x380mm	Aluminum	AC85-265V	IP65	80+




MK-CP51008



Power	Size	Material	Input	IP Rating	CRI
1xE27	170x170x300mm	Aluminum	AC85-265V	IP65	80+




MK-CP19184




Power	Size	Material	Light Source
1xE27	150x150x300mm	Aluminum	E27
1xE27	150x150x600mm	Aluminum	E27
1xE27	150x150x900mm	Aluminum	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-CP19185




Power	Size	Material	Light Source
1xE27	Ø165x300mm	Aluminum	E27
1xE27	Ø165x600mm	Aluminum	E27
1xE27	Ø165x900mm	Aluminum	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-CP19180




Power	Size	Material	Light Source
1xE27	150x150x300mm	Aluminum	E27
1xE27	150x150x600mm	Aluminum	E27
1xE27	150x150x900mm	Aluminum	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-CP19181




Power	Size	Material	Light Source
1xE27	Ø165x300mm	Aluminum	E27
1xE27	Ø165x600mm	Aluminum	E27
1xE27	Ø165x900mm	Aluminum	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-CP50016A



Power	Size	Material	Light Source
1xE27	170x100x300mm	Aluminum	E27
1xE27	170x100x600mm	Aluminum	E27
1xE27	170x100x900mm	Aluminum	E27
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+




MK-CP50017



Power	Size	Material	Light Source
1xE27	170x100x300mm	Aluminum	E27
1xE27	170x100x600mm	Aluminum	E27
1xE27	170x100x900mm	Aluminum	E27
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+







MK-CP19081



Power	Size	Material	Light Source
1xE27	210x600mm	Aluminum	E27
1xE27	210x900mm	Aluminum	E27
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+






MK-CP51001-Square MK-CP51003-Round




Power	Size	Material	Light Source
1xE27	115x115x300mm	Aluminum+PC	E27
1xE27	115x115x600mm	Aluminum+PC	E27
1xE27	115x115x900mm	Aluminum+PC	E27
1xE27	Ø115x300mm	Aluminum+PC	E27
1xE27	Ø115x600mm	Aluminum+PC	E27
1xE27	Ø115x900mm	Aluminum+PC	E27
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-CP4101




Power	Size	Material	Light Source
1xGU10	Ø108x600mm	Aluminum	GU10
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years



MK-CP4117



Power	Size	Material	Light Source
1xGU10	108x108x600mm	Aluminum	GU10
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years



MK-CP4123





Power	Size	Material	Light Source
1xGU10	Ø114x300mm	Aluminum	GU10
1xGU10	Ø114x600mm	Aluminum	GU10
1xGU10	Ø114x900mm	Aluminum	GU10
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-CP4122





Power	Size	Material	Light Source
1xGU10	120x120x300mm	Aluminum	GU10
1xGU10	120x120x600mm	Aluminum	GU10
1xGU10	120x120x900mm	Aluminum	GU10
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-W23222-F

MK-W23223-F



MK-W23222-Y

MK-W23223-Y

Product Details Parameters:


Model	Power	Size	Material	Input	IP Rating	CRI
MK-W23222-F	18W	210x210x90mm	Aluminum	AC85-265V	IP65	80+
MK-W23223-F	18W	210x210x90mm	Aluminum	AC85-265V	IP65	80+
MK-W23222-Y	18W	Ø230x90mm	Aluminum	AC85-265V	IP65	80+
MK-W23223-Y	18W	Ø230x90mm	Aluminum	AC85-265V	IP65	80+



MK-1066A




Power	Size	Material	Light Source
MK-1066A-S	150x150x180mm	Aluminum+PC	E27
MK-1066A-M	200x200x270mm	Aluminum+PC	E27
MK-1066A-L	260x260x320mm	Aluminum+PC	E27
MK-1066A-XL	320x320x400mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-1066S




Power	Size	Material	Light Source
MK-1066S-S	150x150x180mm	Aluminum+PC	SMD
MK-1066S-M	200x200x270mm	Aluminum+PC	SMD
MK-1066S-L	260x260x320mm	Aluminum+PC	SMD
MK-1066S-XL	320x320x400mm	Aluminum+PC	SMD
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-Z46009
MK-Z46010



Power	Size	Material	Light Source
12W	170x150x285mm	Aluminum+PC	SMD
12W	150x150x285mm	Aluminum+PC	SMD
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-1067S



Power	Size	Material	Light Source
12W	150x150x165mm	Aluminum+PC	SMD
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years






MK-Z45001



MK-Z45002



MK-Z45019




Product Details Parameters:




Model	Power	Size	Material	Input	IP Rating	CRI
MK-Z45001	16W	150x150x160mm	Aluminum	AC85-265V	IP65	80+
MK-Z45002	7W	150x150x160mm	Aluminum+Acrylic+PC	AC85-265V	IP65	80+
MK-Z45019	12W	150x150x185mm	Aluminum+Acrylic+PC	AC85-265V	IP65	80+






MK-Z45020



MK-Z45021



MK-Z45022



Product Detaills Parameters:




Model	Power	Size	Material	Input	IP Rating	CRI
MK-Z45020	1xE27	150x150x190mm	Aluminum+Acrylic	AC85-265V	IP65	80+
MK-Z45021	1xE27	150x150x190mm	Aluminum+Glass	AC85-265V	IP65	80+
MK-Z45022	1xE27	150x150x295mm	Aluminum+Glass	AC85-265V	IP65	80+



MK-CP41036 Solar




Power	Size	Material	Light Source
LED 3W,Solar 6V	150x150x300mm	Aluminum	SMD
LED 3W,Solar 6V	150x150x600mm	Aluminum	SMD
LED 3W,Solar 6V	150x150x900mm	Aluminum	SMD
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+
Black	AC85-265V	IP65	80+



MK-Z19040




Model	Size	Material	Power
MK-Z19040-S	150x150x190mm	Aluminum+PC	E27
MK-Z19040-M	220x220x255mm	Aluminum+PC	E27
MK-Z19040-L	260x260x310mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-B025




Power	Size	Material	Light Source
MK-B025-S	170x170x210mm	Aluminum+PC	E27
MK-B025-M	220x220x255mm	Aluminum+PC	E27
MK-B025-L	250x250x250mm	Aluminum+PC	E27
MK-B025-XL	400x400x400mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-B026-单PC





Model	Size	Material	Power
MK-B026-S	150x150x190mm	Aluminum+PC	E27
MK-B026-M	220x220x255mm	Aluminum+PC	E27
MK-B026-L	260x260x310mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-B027-双PC




Model	Size	Material	Power
MK-B027-S	150x150x190mm	Aluminum+PC	E27
MK-B027-M	220x220x255mm	Aluminum+PC	E27
MK-B027-L	260x260x310mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-Z300




Model	Size	Material	Power
MK-Z3001	150x150x190mm	Aluminum+PC	E27
MK-Z3002	220x220x255mm	Aluminum+PC	E27
MK-Z3003	260x260x310mm	Aluminum+PC	E27
MK-Z3004	320x320x360mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-2092



Model	Size	Material	Power
MK-2092	195x195x260mm	Aluminum+PC	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years



MK-Z23015



Model	Size	Material	Power
MK-Z23015	165x165x245mm	Aluminum	E27
MK-Z23016	245x245x300mm	Aluminum	E27
MK-Z23017	300x300x320mm	Aluminum	E27
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



129

MK-1044A




Model	Size	Material	Power
MK-1044A-S	Ø108x65mm	Aluminum+Acrylic+PC	5W
MK-1044A-M	Ø130x120mm	Aluminum+Acrylic+PC	5W
MK-1044A-L	Ø170x135mm	Aluminum+Acrylic+PC	12W
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-1045A




Model	Size	Material	Power
MK-1045A-S	Ø108x65mm	Aluminum+Acrylic+PC	5W
MK-1045A-M	Ø130x120mm	Aluminum+Acrylic+PC	5W
MK-1045A-L	Ø170x135mm	Aluminum+Acrylic+PC	12W
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-1046A




Model	Size	Material	Power
MK-1046A-S	108x108x65mm	Aluminum+Acrylic+PC	5W
MK-1046A-M	130x130x120mm	Aluminum+Acrylic+PC	5W
MK-1046A-L	160x160x135mm	Aluminum+Acrylic+PC	12W
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-1047A



Model	Size	Material	Power
MK-1047A-S	108x108x65mm	Aluminum+Acrylic+PC	5W
MK-1047A-M	130x130x120mm	Aluminum+Acrylic+PC	5W
MK-1047A-L	160x160x135mm	Aluminum+Acrylic+PC	12W
Color	Input	IP Rating	Warranty
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years
Black	AC85-265V	IP65	2 Years



MK-219016
MK-219017



Power	Size	Material	Power
1xE27 1xE27	151x151x230mm 166x230mm	Aluminum+PC Aluminum+PC	E27 E27
Color	Input	IP Rating	CRI
Black Black	AC85-265V AC85-265V	IP65 IP65	80+ 80+



MK-CP47011



Power	Size	Material	Light Source
7W	300x300x300mm	Aluminum	COB
Color	Input	IP Rating	CRI
Black	AC85-265V	IP65	80+