

OSRAM PHILIPS CREE EPISTAR NICHIA SEOUL SAMSUNG



中山市镁特丽照明有限公司
MINK LED LIGHTING CO.,LTD

Phone number

+86 134 2040 8061

+853 6855 5317

Email

maggie@minkled.cn

maggieguzhen@163.com

Address

Floor 5, Building 4th, NO.33, Dongxing East Road, Guzhen Town, Zhongshan City



MIK 镁特丽

Explore the beauty of nature.

探索自然之美



2025-2026
Outdoor wall light



Welcome to the
outdoor world of MK.

公司简介/Company Profile



中山市镁特丽照明有限公司是一家专注于户外照明产品设计和生产的综合性公司。中山市镁特丽光电有限公司成立于2011年，我们有一百多名工人，厂房面积6000m²，我们的产品销往欧洲、南美、东南亚、中东等。“MK,你的防水专家”是我们的使命，用最好的建筑照明解决方案和视觉舒适度创造情感。我们坚持创新务实的发展理念，超越自己，并追求卓越。我们一直专注于产品开发，始终以客户为中心，依靠不断提升的创新能力，整合灵活的单品定制能力，日益完善的配送能力和不断完善的售后服务成为深受客户信赖的品牌，公司以强大的开发能力为基础，致力于为园林、庭院氛围照明打造全系列照明产品。目前，公司主要产品有五大系列：地插灯、地埋灯、户外壁灯、墙角灯、庭院灯。中山市镁特丽照明有限公司不断加快创新设计和研发的步伐，为客户提供优质、极致的服务是公司的发展准则，将低碳、环保、节能贯彻到底结合市场需求为客户创造更大的价值。

Zhongshan MINK LED LIGHTING CO.,LTD. is a comprehensive company focusing on the design and production of outdoor lighting products. Zhongshan MINK LED Lighting Co., Ltd. was established in 2011. We have more than 100 workers and 6000 square meters factory. We sold to Europe, South America, southeast Asia, middle east and so on."MK, your waterproof expert" is our mission to create emotions with the best architectural lighting solutions and visual comfort. We adhere to the innovative and pragmatic development concept, surpass ourselves, and pursue excellence. We have always focused on product development, always customer-centric, relying on the continuous improvement of innovation capabilities, integrating flexible single product customization capabilities, increasingly improved distribution capabilities and continuously improved after-sales service to become a brand trusted by customers. The company is based on strong development capabilities and is committed to creating a full range of lighting products for garden and courtyard atmosphere lighting. At present, the company's main products include five series: ground plug lamps, underground lamps, outdoor wall lamps, corner lamps, and garden lamps. Zhongshan MINK LED LIGHTING CO.,LTD. continues to accelerate the pace of innovative design and research and development. Providing customers with high-quality and extreme services is the company's development principle. It will implement low-carbon, environmental protection, and energy saving to the end and combine market demand to create greater value for customers.

公司展厅/Company Showroom



公司展厅 / Company Showroom



防水测试仪器
Simulate Waterproof Tester



雷击浪涌测试仪
Lightning Surge Generator




多路温度测试仪
Multiplex Temperature meter




光光电综合测试系统
Spectroscopic analysis system




ZC93-3型绝缘电阻表
ZC93-3 Type insulation resistance meter




老化测试
Aging test




装配线
Production Line




包装过程
Packaging process



CERTIFICATE (HAVE CE,GS,ROHS AND ERP6000 HOURS)






MK-F828

POWER:4X3W
IP RATING: IP54
SIZE:Φ95MM
INPUT:AC85-265V




F828B-2

POWER:2X1W
IP RATING: IP54
SIZE:Φ73MM
INPUT:AC85-265V




F828B-4

POWER:4X1W
IP RATING: IP54
SIZE:Φ73MM
INPUT:AC85-265V




F828-5

POWER:5X1W
IP RATING: IP54
SIZE:Φ100MM
INPUT:AC85-265V




MK-W0401-2

POWER:2X1/4X1W
IP RATING: IP54
SIZE:55X97X37MM
SIZE:110X80X35MM
INPUT:AC85-265V




MK-W0401-6

POWER:6X1W
IP RATING: IP54
SIZE:155X80X35MM
INPUT:AC85-265V




MK-W0401-8

POWER:8X1W
IP RATING: IP54
SIZE:210X80X35MM
INPUT:AC85-265V




MK-W0401-10

POWER:10X1W
IP RATING: IP54
SIZE:260X80X40MM
INPUT:AC85-265V




MK-F828C平

POWER:4X3W
IP RATING: IP54
SIZE:Φ95MM
INPUT:AC85-265V




MK-W06

POWER:2X3W
IP RATING: IP54
SIZE:Φ90MM
INPUT:AC85-265V




F828D钻石

POWER:4X1W
IP RATING: IP54
SIZE:Φ90X90X65MM
INPUT:AC85-265V




MK-W08

POWER:2X1W
IP RATING: IP54
SIZE:Φ100X95MM
INPUT:AC85-265V




MK-W0401-12

POWER:12X1W
IP RATING: IP54
SIZE:310X80X35MM
INPUT:AC85-265V




MK-W0402-2/4

POWER:2X1/4X1W
IP RATING: IP54
SIZE:55X97X37MM
SIZE:110X80X40MM
INPUT:AC85-265V




MK-W0402-6

POWER:6X1W
IP RATING: IP54
SIZE:155X80X35MM
INPUT:AC85-265V



MK-W0402-8


POWER:8X1W
IP RATING: IP54
SIZE:210X80X35MM
INPUT:AC85-265V



MK-2266-2
POWER:2X1W
IP RATING: IP54
SIZE:35X100X45MM
INPUT:AC85-265V




MK-2266-4
POWER:4X1W
IP RATING: IP54
SIZE:85X100X45MM
INPUT:AC85-265V



MK-2266-6
POWER:6X1W
IP RATING: IP54
SIZE:135X100X45MM
INPUT:AC85-265V




MK-2266-8
POWER:8X1W
IP RATING: IP54
SIZE:185X100X45MM
INPUT:AC85-265V



MK-W0239-2
POWER:2X1W
IP RATING: IP54
SIZE:40X65X45MM
INPUT:AC85-265V




MK-W0239-4
POWER:4X1W
IP RATING: IP54
SIZE:120X100X45MM
INPUT:AC85-265V




MK-W0239-6
POWER:6X1W
IP RATING: IP54
SIZE:175X100X45MM
INPUT:AC85-265V




MK-W0239-8
POWER:8X1W
IP RATING: IP54
SIZE:230X100X45MM
INPUT:AC85-265V




MK-W0402-6
POWER:10X1W
IP RATING: IP54
SIZE:260X80X35MM
INPUT:AC85-265V




MK-W0402-12
POWER:12X1W
IP RATING: IP54
SIZE:310X80X35MM
INPUT:AC85-265V



MK-2266-10
POWER:10X1W
IP RATING: IP54
SIZE:235X100X45MM
INPUT:AC85-265V




MK-2266-12
POWER:12X1W
IP RATING: IP54
SIZE:285X100X45MM
INPUT:AC85-265V



MK-W0239-10
POWER:10X1W
IP RATING: IP54
SIZE:270X80X40MM
INPUT:AC85-265V




MK-W0207-4
POWER:4X1W
IP RATING: IP54
SIZE:120X80X35MM
INPUT:AC85-265V



MK-W0207-6
POWER:6X1W
IP RATING: IP54
SIZE:120X120X35MM
INPUT:AC85-265V



MK-W0207-8
POWER:8X1W
IP RATING: IP54
SIZE:160X160X35MM
INPUT:AC85-265V




MK-W100-2W椭圆

POWER:2X1W
IP RATING: IP54
SIZE:55X97X37MM
INPUT:AC85-265V




MK-W100-4W椭圆

POWER:4X1W
IP RATING: IP54
SIZE:130X80X40MM
INPUT:AC85-265V




MK-W100-6W椭圆

POWER:6X1W
IP RATING: IP54
SIZE:180X90X40MM
INPUT:AC85-265V




MK-W100-8W椭圆

POWER:8X1W
IP RATING: IP54
SIZE:230X110X40MM
INPUT:AC85-265V



MK-W0777-4

POWER:4X1W
IP RATING: IP54
SIZE:170X75X40MM
INPUT:AC85-265V




MK-W0736-4

POWER:4X1W
IP RATING: IP20
SIZE:230X60X35MM
INPUT:AC85-265V




MK-W0779-8+1

POWER:8X1+3W
IP RATING: IP54
SIZE:Φ180X59MM
INPUT:AC85-265V




MK-W0779-12+1

POWER:12X1W+4W
IP RATING: IP54
SIZE::Φ250X55MM
INPUT:AC85-265V




MK-2280-2

POWER:2X1W
IP RATING: IP54
SIZE:100X85X35MM
INPUT:AC85-265V




MK-2280-4

POWER:4X1W
IP RATING: IP54
SIZE:100X85X35MM
INPUT:AC85-265V




MK-2270-4

POWER:4X1W
IP RATING: IP54
SIZE:100X85X35MM
INPUT:AC85-265V




MK-2271-4八角

POWER:4X1W
IP RATING: IP54
SIZE:90X90X40MM
INPUT:AC85-265V





MK-224-4

POWER:4X1W
IP RATING: IP54
SIZE:Φ100X60MM
INPUT:AC85-265V




MK-224-6

POWER:6W
IP RATING: IP54
SIZE:Φ123X50MM
INPUT:AC85-265V




MK-224-8

POWER:8X1W
IP RATING: IP54
SIZE:Φ160X60MM
INPUT:AC85-265V



MK-224-82

POWER:6X1W
IP RATING: IP54
SIZE:Φ120X50MM
INPUT:AC85-265V




MK-2282-6

POWER:6X1W
IP RATING: IP54
SIZE:Φ140X70MM
INPUT:AC85-265V




MK-2282-5

POWER:5X1W
IP RATING: IP54
SIZE:Φ115X70MM
INPUT:AC85-265V



MK-2282-8

POWER:8X1W+2W
IP RATING: IP54
SIZE:Φ185X80MM
INPUT:AC85-265V



MK-6007F-8BK

POWER:8X2W
IP RATING: IP54
SIZE:100X100X40MM
INPUT:AC85-265V




MK-W0604

POWER:2X3W
IP RATING: IP54
SIZE:157X48X37MM
INPUT:AC85-265V



MK-W0603

POWER:2X3W
IP RATING: IP54
SIZE:88X48X37MM
INPUT:AC85-265V




MK-W0601

POWER:2X3W
IP RATING: IP54
SIZE:88X48X37MM
INPUT:AC85-265V



MK-W0602

POWER:2X3W
IP RATING: IP54
SIZE:157X48X37MM
INPUT:AC85-265V




MK-6052

POWER:3W
IP RATING: IP20
SIZE:380X75X75MM
INPUT:AC85-265V




MK-2272-2

POWER:2X3W
IP RATING: IP54
SIZE:100X100X50MM
INPUT:AC85-265V



MK-2272/4

POWER:4X3W
IP RATING: IP54
SIZE:246X100X50MM
INPUT:AC85-265V



MK-2237-460/MK-2237-610

POWER:6W/12W/18W/24W/30W
IP RATING: IP20
SIZE:460/760*90*35MM
610/760*90*35MM
INPUT:AC85-265V




MK-F687

POWER:6W
IP RATING: IP54
SIZE:200X90X90MM
INPUT:AC85-265V



MK-W0257

POWER:6W
IP RATING: IP54
SIZE:215X105X105MM
INPUT:AC85-265V




MK-F842S

POWER:2X3W
IP RATING: IP54
SIZE:120X60X40MM
INPUT:AC85-265V



MK-W2279-2

POWER:2X1W
IP RATING: IP54
SIZE:150X50X35MM
INPUT:AC85-265V




MK-W35

POWER:5W
IP RATING: IP54
SIZE:100X100X85MM
INPUT:AC85-265V




MK-W36

POWER:5W
IP RATING: IP54
SIZE:100X100X170MM
INPUT:AC85-265V





MK-W37

POWER:3W
IP RATING: IP54
SIZE:100X100X30MM
INPUT:AC85-265V




MK-W38

POWER:6W
IP RATING: IP54
SIZE:170X100X50MM
INPUT:AC85-265V



MK-W0635-2

POWER:2X5W
IP RATING: IP54
SIZE:95X150X50MM
INPUT:AC85-265V




MK-W0636-2

POWER:2X5W
IP RATING: IP54
SIZE:95X150X50MM
INPUT:AC85-265V




MK-W02115

POWER:5W
IP RATING: IP54
SIZE:160X110X55MM
INPUT:AC85-265V




MK-W0815

POWER:2X5W
IP RATING: IP54
SIZE:160X95X90MM
INPUT:AC85-265V




MK-W19299

POWER:12W
IP RATING: IP54
SIZE:240X115X40MM
INPUT:AC85-265V




MK-W19300

POWER:6W
IP RATING: IP54
SIZE:185X90X45MM
INPUT:AC85-265V




MK-W1602-4

POWER:4X1W
IP RATING: IP54
SIZE:180X180X50MM
INPUT:AC85-265V




MK-W1602-6+1

POWER:6X1+2W
IP RATING: IP54
SIZE:Φ225X50MM
INPUT:AC85-265V




MK-W19295

POWER:6X1W
IP RATING: IP54
SIZE:160X160X65MM
INPUT:AC85-265V




MK-W19296

POWER:3X1W
IP RATING: IP54
SIZE:160X160X65MM
INPUT:AC85-265V



MK-W19297

POWER:10W
IP RATING: IP54
SIZE:170X170X90MM
INPUT:AC85-265V



MK-W19298

POWER:2X3W
IP RATING: IP54
SIZE:125X100MM
INPUT:AC85-265V



MK-W1603-1

POWER: LED 1x3W
IP RATING: IP65
SIZE:66x70x42
INPUT:AC85-265V



MK-W1603-2

POWER: 2x3W
IP RATING: IP65
SIZE:88x70x42
INPUT:AC85-265V




MK-W1604-100

POWER: LED 1x7W
IP RATING: IP65
SIZE:148x100x65
INPUT:AC85-265V




MK-W1604-130

POWER: LED 2x7W
IP RATING: IP65
SIZE:148x130x65
INPUT:AC85-265V



MK-W0376-3

POWER:3X1W
IP RATING: IP54
SIZE:93X45MM
INPUT:AC85-265V




MK-W0376-4

POWER:4X1W
IP RATING: IP54
SIZE:93X45MM
INPUT:AC85-265V




MK-W0376-5

POWER:5X1W
IP RATING: IP54
SIZE:108X45MM
INPUT:AC85-265V



MK-W0376-6

POWER:6X1W
IP RATING: IP54
SIZE:124X45MM
INPUT:AC85-265V




MK-W02132-2

POWER:2X5W
IP RATING: IP54
SIZE:370X80X110MM
INPUT:AC85-265V




MK-W0243L

POWER:2X7W
IP RATING: IP54
SIZE:180X100X80/230X130X80MM
INPUT:AC85-265V




MK-W02072

POWER:2X3W
IP RATING: IP20/IP54
SIZE:H250/H300/H350X60X50MM
INPUT:AC85-265V




MK-F117M

L:2X7+6W/ 248X85X55
M:2X5+4W/195X70X45
S:2X3+2W/150X55X40
IP RATING: IP54
SIZE:260X80X40MM
INPUT:AC85-265V




MK-W0374

POWER:4X1W/6X1W
IP RATING: IP54
SIZE:90X80X45MM
SIZE:140X80X45MM
INPUT:AC85-265V




MK-W0375-8

POWER:8X1W
IP RATING: IP54
SIZE:190X80X45MM
INPUT:AC85-265V




MK-W0375-10

POWER:10X1W
IP RATING: IP54
SIZE:240X80X45MM
INPUT:AC85-265V




MK-W0375-12

POWER:12X1W
IP RATING: IP54
SIZE:290X80X45MM
INPUT:AC85-265V




MK-W0120-2S

POWER:2X1W
IP RATING: IP54
SIZE:45X110X35MM
INPUT:AC85-265V




MK-W0120-2L

POWER:4X1W
IP RATING: IP54
SIZE:105X110X40MM
INPUT:AC85-265V




MK-W0120-2M

POWER:6X1W
IP RATING: IP54
SIZE:155X160X50MM
INPUT:AC85-265V




MK-W0121-2

POWER:2X3W
IP RATING: IP54
SIZE:120X105X50MM
INPUT:AC85-265V



MK-W0122-4

POWER:4X1W
IP RATING: IP54
SIZE:130X80X38MM
INPUT:AC85-265V




MK-W0122-6

POWER:6X1W
IP RATING: IP54
SIZE:165X80X38MM
INPUT:AC85-265V




MK-W0123-4

POWER:4X1W
IP RATING: IP54
SIZE:130X80X38MM
INPUT:AC85-265V




MK-W0123-6

POWER:6X1W
IP RATING: IP54
SIZE:165X80X38MM
INPUT:AC85-265V




MK-W0124-2

POWER:2X3W
IP RATING: IP54
SIZE:140X65X70MM
INPUT:AC85-265V




MK-W0125-2

POWER:2X5W
IP RATING: IP54
SIZE:200X80X90MM
INPUT:AC85-265V




MK-W0126-2

POWER:2X3W
IP RATING: IP54
SIZE:220X65X70MM
INPUT:AC85-265V




MK-W0127-2

POWER:2X5W
IP RATING: IP54
SIZE:200X80X80MM
INPUT:AC85-265V




MK-W0128-6

POWER:6X1W
IP RATING: IP54
SIZE:138X138X42MM
INPUT:AC85-265V




MK-W0129-6

POWER:6X1W
IP RATING: IP54
SIZE:138X138X42MM
INPUT:AC85-265V



MK-W0130-2

POWER:4X1W
IP RATING: IP54
SIZE:100X100X38MM
INPUT:AC85-265V



MK-W0131-2

POWER:2X1W
IP RATING: IP54
SIZE:110X80X45MM
INPUT:AC85-265V



MK-W23210-1

POWER:5W
IP RATING: IP20
SIZE:120X140X120MM
INPUT:AC85-265V



MK-W23210-2

POWER:2X5W
IP RATING: IP20
SIZE:270X120X100MM
INPUT:AC85-265V



MK-W23210-3

POWER:3X5W
IP RATING: IP20
SIZE:390X100X100MM
INPUT:AC85-265V




MK-W23211

POWER:10W
IP RATING: IP54
SIZE:250X60X100MM
INPUT:AC85-265V




MK-W84Y

POWER:12W
IP RATING: IP54
SIZE:150X150MM
INPUT:AC85-265V




MK-W84F

POWER:12W
IP RATING: IP54
SIZE:150X150X50MM
INPUT:AC85-265V



MK-F93A

POWER:1X5W
IP RATING: IP20/IP54
SIZE:Φ145MM
INPUT:AC85-265V



MK-W0780

POWER:1X5W
IP RATING: IP65
SIZE:140X140X85MM
INPUT:AC85-265V




MK-2233

POWER:7W
IP RATING: IP54
SIZE:200X120X90MM
INPUT:AC85-265V



MK-877

POWER:5W
IP RATING: IP54
SIZE:170X170X80MM
INPUT:AC85-265V



MK-2232

POWER:6W
IP RATING: IP54
SIZE:160X160X85MM
INPUT:AC85-265V




MK-W0802-2

POWER:2X3W
IP RATING: IP54
SIZE:83X70X53MM
INPUT:AC85-265V



MK-W1605-1

POWER:5W
IP RATING: IP54
SIZE:100X102X78MM
INPUT:AC85-265V



MK-W1605-2

POWER:2X7W
IP RATING: IP54
SIZE:200X100X77MM
INPUT:AC85-265V



MK-W1606-1

POWER:5W
IP RATING: IP54
SIZE:100X102X78MM
INPUT:AC85-265V



MK-W1606-2

POWER:2X7W
IP RATING: IP54
SIZE:200X100X77MM
INPUT:AC85-265V






MK-W23212

POWER: 6W/10W
IP RATING: IP65
SIZE:158X61X100/260X61X100
INPUT:AC85-265V




MK-W23213

POWER: 2X6W/2X10W
IP RATING: IP65
SIZE:158X61X100/260X61X100
INPUT:AC85-265V



MK-689-2/MK-689-1

Power: 3W/5W 2x3W/2x5W
IP Rating:IP65
Size:82x78x65mm
100x95x100mm
Input:AC85-265V



MK-W1607-2

POWER: LED 1x7W/LED 2x7W
IP RATING: IP65
SIZE:200x100x100mm
INPUT:AC85-265V



MK-D1605-1

POWER:3W
IP RATING: IP54
SIZE:160X100X60MM
INPUT:AC85-265V



MK-D1605-2

POWER:2X3W
IP RATING: IP54
SIZE:160X100X70MM
INPUT:AC85-265V



MK-W1612-2

POWER: LED 2x3W
IP RATING: IP65
SIZE:90x60x165mm
INPUT:AC85-265V



MK-W1613-4

POWER:4X3W
IP RATING: IP54
SIZE:280X280X65MM
INPUT:AC85-265V



MK-W1608-2

POWER:6W
IP RATING: IP54
SIZE:165X95X56MM
INPUT:AC85-265V



MK-W1609-2

POWER:6W
IP RATING: IP54
SIZE:165X95X56MM
INPUT:AC85-265V




MK-W1610-2

POWER:2X3W/2X7W/GU10
IP RATING: IP54
SIZE: S:150X80X68MM
L:200X105X105MM
INPUT:AC85-265V



MK-W1611-2


POWER:2X3W/2X7W/GU10
IP RATING: IP54
SIZE: S:150X80X68MM
L:200X105X105MM
INPUT:AC85-265V



MK-D1601

POWER:3W
CHIP:COB
IP RATING:IP54
SIZE:L260*W130*H55mm
BEAM ANGLE:120°
MATERIAL:Aluminum+Glass
INPUT:AC100-240V 50/60Hz

GY BK



MK-D1602

POWER:10W
CHIP:COB
IP RATING:IP54
SIZE:L260*W130*H60mm
BEAM ANGLE:120°
MATERIAL:Aluminum+Glass
INPUT:AC100-240V 50/60Hz


GY BK



MK-D1603

POWER:3W
CHIP:COB
IP RATING:IP54
SIZE:L260*W130*H55mm
BEAM ANGLE:120°
MATERIAL:Aluminum+Glass
INPUT:AC100-240V 50/60Hz

GY BK



MK-D1604

POWER:8W
CHIP:SMD
IP RATING:IP54
SIZE:D160*H75mm
BEAM ANGLE:45°
MATERIAL:Glass+aluminum
INPUT:AC100-240V 50/60Hz

GY BK



MK-F819-1

POWER:1X3W
IP RATING: IP54
SIZE:83X70X53MM
INPUT:AC85-265V



MK-F819-2

POWER:2X3W
IP RATING: IP54
SIZE:83X70X53MM
INPUT:AC85-265V



MK-F499

POWER:2X3W
IP RATING: IP54
SIZE:55X85X170MM
INPUT:AC85-265V



MK-W0248

POWER:2X3W/2X5W
IP RATING: IP54
SIZE:150X75X75/170X75X75
200X85X85MM
INPUT:AC85-265V



MK-F857-130

POWER:LED 2x3W
IP RATING: IP65
SIZE:H130/H150X70X60
INPUT:AC85-265V



MK-F857-200

POWER: LED 2x5W
IP RATING: IP65
SIZE:200x100x107
INPUT:AC85-265V



MK-F857-300

POWER: LED 2x10W
IP RATING: IP65
SIZE:300x150x140
INPUT:AC85-265V



MK-F857-400

POWER: LED 2x15W
IP RATING: IP65
SIZE:400x195x180
INPUT:AC85-265V




MK-F328

POWER: E27/LED 10W/20W
IP RATING: IP65
SIZE:10W S:260x125x125
20W L:300x140x145
INPUT:AC85-265V



MK-F317

POWER: 10W/20W/E27
IP RATING: IP65
SIZE:125x125x260/300x140x145
INPUT:AC85-265V



MK-W102-1

POWER:5W
IP RATING: IP54
SIZE:140X126X120MM
INPUT:AC85-265V



MK-8874-2

POWER:10W
IP RATING: IP54
SIZE:140X126X140MM
INPUT:AC85-265V



MK-W0305

POWER: LED 2x5W
IP RATING: IP65
SIZE:200x100x100mm
INPUT:AC85-265V




MK-W0306

POWER: LED 2x5W
IP RATING: IP65
SIZE:200x100x100mm
INPUT:AC85-265V




MK-W0306A

POWER: LED 2x5W
IP RATING: IP65
SIZE:200x100x100mm
INPUT:AC85-265V



MK-W0379-2

POWER:GU10
IP RATING: IP54
SIZE:90X195
INPUT:AC85-265V



MK-F857F-2

POWER:LED 2x3/5/10/15W
IP RATING: IP65
SIZE:130/200/300/400
INPUT:AC85-265V




MK-F858F-2

POWER:LED 2x3/5/10/15W
IP RATING: IP65
SIZE:130/200/300/400
INPUT:AC85-265V




MK-F857F-1

POWER: LED 1x3/5/10/15W
IP RATING: IP65
SIZE:65/100/150/200
INPUT:AC85-265V




MK-F859-2

POWER:2X3W
IP RATING: IP54
SIZE:150X70X60MM
INPUT:AC85-265V



MK-W418D

POWER:2X3W
IP RATING: IP54
SIZE:140X80X65MM
INPUT:AC85-265V




MK-2002A

POWER:上下7条光10W
IP RATING: IP54
SIZE:100X100X105MM
INPUT:AC85-265V




MK-W126

POWER:4X3W
IP RATING: IP54
SIZE:109X109X62MM
INPUT:AC85-265V




MK-W127-12+2

POWER:12+2W
IP RATING: IP54
SIZE:190X190X45MM
INPUT:AC85-265V




MK-W110-2

POWER:LED 2x3W
IP RATING: IP65
SIZE:Φ100x40
INPUT:AC85-265V




MK-W111

POWER:LED 4x3W
IP RATING: IP65
SIZE:Φ100x40
INPUT:AC85-265V




MK-F6007F-4BK+WH

POWER: LED 4x3W
IP RATING: IP65
SIZE:100x100x40
INPUT:AC85-265V




MK-F6007F-8BK+WH

POWER: LED 8x3W
IP RATING: IP65
SIZE:100x100x40
INPUT:AC85-265V




MK-W113

POWER: LED 2x3W
IP RATING: IP65
SIZE:130x50x40
INPUT:AC85-265V



MK-F818S

POWER:2X5W
IP RATING: IP20
SIZE:100X100X80MM
INPUT:AC85-265V




MK-W117

POWER:2X3W
IP RATING: IP20
SIZE:160X70X95MM
INPUT:AC85-265V



MK-W118

POWER:10W
IP RATING: IP20
SIZE:300X80X55MM
INPUT:AC85-265V



MK-W119/W120

POWER:7W
IP RATING: IP20
SIZE:90X45X50/85X65X40MM
INPUT:AC85-265V



MK-W220S

POWER:2X3+4W
IP RATING: IP54
SIZE:155X60X67MM
INPUT:AC85-265V




MK-W220M

POWER:2X5+6W
IP RATING: IP54
SIZE:220X60X67MM
INPUT:AC85-265V




MK-W220L

POWER:2X7+8W
IP RATING: IP54
SIZE:365X60X67MM
INPUT:AC85-265V




MK-W0380-2

POWER:6W
IP RATING: IP54
SIZE:240X80X75MM
INPUT:AC85-265V




MK-F807

POWER: 5W/10W/15W
IP RATING: IP65
SIZE:S:92X95X90
M:120X125X120
L:155X150X145
INPUT:AC85-265V



MK-F806

POWER: 5W/10W/15W
IP RATING: IP65
SIZE:S:92X95X90
M:120X125X120
L:155X150X145
INPUT:AC85-265V



MK-F814Y

POWER: 5W/10W/15W
IP RATING: IP65
SIZE:S:125X148X45
M:150X175X52
L:196X230X52
INPUT:AC85-265V



MK-F814F

POWER: 5W/10W/15W
IP RATING: IP65
SIZE:S:127X148X47
M:190X164X52
L:205X235X55
INPUT:AC85-265V



MK-812F-200

POWER: 5W
IP RATING: IP20
SIZE:200X80X100
INPUT:AC85-265V



MK-812F-250/MK-812F-350

POWER: 10W/15W
IP RATING: IP20
SIZE:250X60X100/350X60X100
INPUT:AC85-265V



MK-812Y-160/MK-812Y-250

POWER: 5W
IP RATING: IP20
SIZE: 160X100X90/250X100X100
INPUT:AC85-265V



MK-812Y-410

POWER: 10W/15W
IP RATING: IP20
SIZE:410X100X100
INPUT:AC85-265V



MK-813S-115

POWER: 2x3W
IP RATING: IP65
SIZE:115x90x35
INPUT:AC85-265V




MK-813M-175

POWER: 2x6W
IP RATING: IP65
SIZE:175x90x35
INPUT:AC85-265V



MK-813L-300

POWER: 2x10W
IP RATING: IP65
SIZE:300x90x35
INPUT:AC85-265V



MK-813XL-400

POWER: 2x12W
IP RATING: IP65
SIZE:400x90x35
INPUT:AC85-265V




MK-F803A

POWER: 3x3W
IP RATING: IP65
SIZE:205x160x45
INPUT:AC85-265V



MK-F802-3

POWER: 3x3W
IP RATING: IP65
SIZE:150x128x40
INPUT:AC85-265V




MK-F802-4

POWER:4x3W
IP RATING: IP65
SIZE:132x132x140
INPUT:AC85-265V




MK-F842-1

POWER: 1x3W
IP RATING: IP65
SIZE:115x68x65
INPUT:AC85-265V




MK-F843Y

POWER: LED 7W/12W
IP RATING: IP65
SIZE:Φ133X67/Φ165X100
INPUT:AC85-265V



MK-F843F

POWER: LED 7W/12W
IP RATING: IP65
SIZE:133X133X67/160X160X100
INPUT:AC85-265V



MK-2510

POWER: LED 7W/12W
IP RATING: IP65
SIZE:Φ133X67/Φ165X100
INPUT:AC85-265V




MK-2511

POWER: LED 7W/12W
IP RATING: IP65
SIZE:133X133X67/160X160X100/Φ110
INPUT:AC85-265V



MK-W139-2

POWER: LED 2x3W
IP RATING: IP65
SIZE:200x160x62
INPUT:AC85-265V



MK-W139-4

POWER:LED 4x3W
IP RATING: IP65
SIZE:208x160x63
INPUT:AC85-265V



MK-W139-6

POWER: LED 6x3W
IP RATING: IP65
SIZE:208x165x66
INPUT:AC85-265V



MK-F842-2

POWER: LED 2x3W
IP RATING: IP65
SIZE:185x70x65
INPUT:AC85-265V



MK-F861

POWER: LED 2X3W
IP RATING: IP65
SIZE:160X70X60
INPUT:AC85-265V




MK-W146-S/L

POWER: 2X3W/2X5W
IP RATING: IP65
SIZE:110X20XH107mm
175X25XH107mm
INPUT:AC85-265V



MK-W147-S/M/L

POWER: 7W/12W/18W
IP RATING: IP65
SIZE:Φ100X58/Φ150X62/Φ198X62
INPUT:AC85-265V



MK-W148

POWER: 6W
IP RATING: IP65
SIZE:Φ190X65
INPUT:AC85-265V



MK-W132A

POWER:LED 2x3W
IP RATING: IP65
SIZE:140x80x65
INPUT:AC85-265V



MK-W132B

POWER: LED 2x3W
IP RATING: IP65
SIZE:140x80x65
INPUT:AC85-265V



MK-W132C

POWER: LED 2x3W
IP RATING: IP65
SIZE:140x80x65



MK-W133

POWER: LED 10W
IP RATING: IP65
SIZE:192x97x75
INPUT:AC85-265V




MK-W142-1-S/L

POWER:LED 3X1W
E27/LED 1X10W
IP RATING: IP65
SIZE:80X90X140
180X150X245
INPUT:AC85-265V



MK-W142-2

POWER: LED 2X3W
IP RATING: IP65
SIZE:80X65X140
INPUT:AC85-265V



MK-5008B

GY BK

POWER:6W
CHIP:COB
IP RATING:IP54
SIZE:L148*W98*H60mm
BEAM ANGLE:120°
MATERIAL:Aluminum+Glass
INPUT:AC100-240V 50/60Hz



MK-5008A

GY BK

POWER:6W
CHIP:COB
IP RATING:IP54
SIZE:L148*W98*H60mm
BEAM ANGLE:120°
MATERIAL:Aluminum+Glass
INPUT:AC100-240V 50/60Hz



MK-W141-S1

POWER: GU10/2x3W
CHIP: COB
IP RATING: IP65
SIZE:63x63x160
INPUT:AC85-265V



MK-W141-S2

POWER: GU10/2x5W
CHIP: COB
IP RATING: IP65
SIZE:90x90x260
INPUT:AC85-265V



MK-W141-S3

POWER: GU10/2x10W
CHIP: COB
IP RATING: IP65
SIZE:120x120x300
INPUT:AC85-265V



MK-W141-S4

POWER: GU10/LED2x10W
CHIP: COB
IP RATING: IP65
SIZE:150x150x300
INPUT:AC85-265V



MK-W0412S-2 黑+金

Power:5W
IP Rating:IP54
Size:230x75x80mm
Input:AC85-265V



MK-W0412L-2 白+金

Power:5W
IP Rating:IP54
Size:280x100x100mm
Input:AC85-265V




MK-W0378-2Z

Power:5-7W
IP Rating:IP54
Size:260x90x95mm
Input:AC85-265V



MK-W0377-2S

Power:5-7W
IP Rating:IP54
Size:280x80x85mm
Input:AC85-265V




MK-W162

POWER:12W
IP RATING: IP54
SIZE:200X100X60MM
INPUT:AC85-265V




MK-W163

POWER:2X6W
IP RATING: IP54
SIZE:160X130X75MM
INPUT:AC85-265V




MK-W164

POWER:2X6W
IP RATING: IP54
SIZE:160X110X75MM
INPUT:AC85-265V



MK-W165

POWER:2X6W
IP RATING: IP54
SIZE:160X130X75MM
INPUT:AC85-265V




MK-W157

POWER:2X5W
IP RATING: IP54
SIZE:140X145X30MM
INPUT:AC85-265V




MK-W158-1

POWER:7W
IP RATING: IP54
SIZE:125X80X110MM
INPUT:AC85-265V



MK-W158-2

POWER:12W
IP RATING: IP54
SIZE:125X80X150MM
INPUT:AC85-265V




MK-W1037-2

POWER:2X6W
IP RATING: IP54
SIZE:160X110X75MM
INPUT:AC85-265V




MK-W167

POWER:2X6W
IP RATING: IP54
SIZE:160X130X75MM
INPUT:AC85-265V




MK-W168

POWER:2X6W
IP RATING: IP54
SIZE:160X130X75MM
INPUT:AC85-265V



MK-W169

POWER:2X6W
IP RATING: IP54
SIZE:160X130X75MM
INPUT:AC85-265V




MK-W159

POWER:12W
IP RATING: IP54
SIZE:100X145X147MM
INPUT:AC85-265V



MK-W161-1A

POWER:6W
IP RATING: IP54
SIZE:120X100X90MM
INPUT:AC85-265V



MK-W161-2A

POWER:2X6W
IP RATING: IP54
SIZE:200X100X90MM
INPUT:AC85-265V



MK-F880

POWER: LED 2X6W
IP RATING: IP65
SIZE:Φ160X35
INPUT:AC85-265V



MK-F880A

POWER: LED 2X6W
IP RATING: IP65
SIZE:160X125X35
INPUT:AC85-265V



MK-F880B

POWER: LED 2X6W
IP RATING: IP65
SIZE:160X90X35
INPUT:AC85-265V



MK-F837

POWER:LED 5W
IP RATING: IP65
SIZE:320x225x245
INPUT:AC85-265V



MK-F841F

POWER: LED 12W
IP RATING: IP65
SIZE:150x150x260
INPUT:AC85-265V




MK-F833

POWER: LED 10W
IP RATING: IP65
SIZE:305x90x140
INPUT:AC85-265V




MK-W152

POWER:10W
IP RATING: IP65
SIZE:260X105X105
INPUT:AC85-265V




MK-F873

POWER: LED 18W
IP RATING: IP65
SIZE:200X200X45
INPUT:AC85-265V



MK-F872

POWER: LED 18W
IP RATING: IP65
SIZE:Φ200X45
INPUT:AC85-265V



MK-F871

POWER: LED 12W
IP RATING: IP65
SIZE:200X120X45
INPUT:AC85-265V




MK-F823

POWER: LED 10W
IP RATING: IP65
SIZE:400x130x283
INPUT:AC85-265V




MK-F841Y-BD

POWER: LED 12W
IP RATING: IP65
SIZE:150x150x260
INPUT:AC85-265V




MK-F8001/MK-F800-A

POWER: LED 10W
IP RATING: IP65
SIZE:170X100X192
INPUT:AC85-265V




MK-F877-S/M/L

POWER:2X3W/2X5W
IP RATING: IP65
SIZE:175X175X90 115X55X70
200X180
INPUT:AC85-265V




MK-W0120
POWER:8*1+5W
IPRATING:IP54
SIZE: 210*210*45MM
INPUT:AC85-265V




MK-W0120
POWER:8*1+5W
IPRATING:IP54
SIZE: 210*210*45MM
INPUT:AC85-265V




MK-W0122-WIFI
POWER:8*1+5W
IPRATING:IP54
SIZE: 210*210*45MM
INPUT:AC85-265V



MK-W0122-钻石
POWER:8*1+5W
IPRATING:IP54
SIZE: 210*210*45MM
INPUT:AC85-265V




MK-W0121-6
POWER:6*1W
IPRATING:IP54
SIZE: 144.5*140*57MM
INPUT:AC85-265V




MK-W0121-6
POWER:6*1W
IPRATING:IP54
SIZE: 144.5*140*57MM
INPUT:AC85-265V




MK-W0114
POWER:4*1W
IPRATING:IP54
SIZE: 115.5*104*46MM
INPUT:AC85-265V




MK-W0114
POWER:4*1W
IPRATING:IP54
SIZE: 115.5*104*46MM
INPUT:AC85-265V




MK-XK013-S-BK
POWER:2*1W
IPRATING:IP54
SIZE: 90*85*47MM
INPUT:AC85-265V




MK-XK013-S-WH
POWER:2*1W
IPRATING:IP54
SIZE: 90*85*47MM
INPUT:AC85-265V




MK-XK013-M-BK
POWER:4*1W
IPRATING:IP54
SIZE: 95.5*95*52MM
INPUT:AC85-265V




MK-XK013-M-WH
POWER:4*1W
IPRATING:IP54
SIZE: 95.5*95*52MM
INPUT:AC85-265V




MK-W0115
POWER:5*1W
IPRATING:IP54
SIZE:222*115.5*46MM
INPUT:AC85-265V




MK-W0115
POWER:5*1W
IPRATING:IP54
SIZE:222*115.5*46MM
INPUT:AC85-265V




MK-W0116
POWER:3*1W
IPRATING:IP54
SIZE:128*115.5*46MM
INPUT:AC85-265V



MK-W0117
POWER:6*1+5W
IPRATING:IP54
SIZE: 233*115.5*46MM
INPUT:AC85-265V




MK-W0117
POWER:6*1+5W
IPRATING:IP54
SIZE:233*115.5*46MM
INPUT:AC85-265V




MK-W0117
POWER:6*1+5W
IPRATING:IP54
SIZE:233*115.5*46MM
INPUT:AC85-265V




MK-W0118
POWER:4*1W
IPRATING:IP54
SIZE:144.5*121*46MM
INPUT:AC85-265V




MK-W0118
POWER:4*1W
IPRATING:IP54
SIZE: 144.5*121*46MM
INPUT:AC85-265V




MK-W0119L
POWER:2*1W
IPRATING:IP54
SIZE:282*128*68MM
INPUT:AC85-265V




MK-W0119L
POWER:2*1W
IPRATING:IP54
SIZE:282*128*68MM
INPUT:AC85-265V




MK-XS 3+1W灯古
POWER:3*1W+1W
IPRATING:IP54
SIZE: 150*55*55MM
INPUT:AC85-265V



MK-XS 4+1W灯古
POWER:4+1W
IPRATING:IP54
SIZE: 150*55*55MM
INPUT:AC85-265V




MK-W0119S
POWER:2*1W
IPRATING:IP54
SIZE: 180*87.5*48MM
INPUT:AC85-265V




MK-W0119S
POWER:2*1W
IPRATING:IP54
SIZE: 180*87.5*48MM
INPUT:AC85-265V




MK-W0119M
POWER:2*1W
IPRATING:IP54
SIZE: 228.5*112*60MM
INPUT:AC85-265V




MK-W0119S
POWER:2*1W
IPRATING:IP54
SIZE: 228.5*112*60MM
INPUT:AC85-265V




MK-W0205-5
POWER:5+1W
IPRATING:IP54
SIZE:150*55*55MM
INPUT:AC85-265V




MK-W0205-6
POWER:6+1W
IPRATING:IP54
SIZE:150*55*55MM
INPUT:AC85-265V



MK-W0245-4
POWER:4W
IPRATING:IP54
SIZE:150*55*55MM
INPUT:AC85-265V



MK-W0245-5
POWER:5W
IPRATING:IP54
SIZE:150*55*55MM
INPUT:AC85-265V




MK-W0245-6

POWER:6W
IPRATING:IP54
SIZE:150*55*55MM
INPUT:AC85-265V



MK-W0253 BK+GD

POWER:2*5W+2W
IPRATING:IP54
SIZE: 200*160*65MM
INPUT:AC85-265V



MK-W0253 WH

POWER:2*5W+2W
IPRATING:IP54
SIZE: 200*160*65MM
INPUT:AC85-265V




MK-W0209S

POWER:2*3+2W
IPRATING:IP54
SIZE: 150*80*55MM
INPUT:AC85-265V



MK-W0209L

POWER:2*5+4W
IPRATING:IP54
SIZE:: 200*110*60MM
INPUT:AC85-265V




MK-W0230A

POWER:2*3W+2W
IPRATING:IP54
SIZE:205*70*50MM
INPUT:AC85-265V




MK-W0230

POWER:2*3W+2W
IPRATING:IP54
SIZE:205*70*50MM
INPUT:AC85-265V



MK-W0416-2

POWER:6+1W
IPRATING:IP54
SIZE:150*55*55MM
INPUT:AC85-265V




MK-W0228S WH+GD

POWER:2*3W
IPRATING:IP54
SIZE:92*98*55MM
INPUT:AC85-265V



MK-W0228S BK+GD

POWER:2*5W
IPRATING:IP54
SIZE:127*137*70MM
INPUT:AC85-265V



MK-W0229 BK+GD

POWER:4*3W
IPRATING:IP54
SIZE: 180*90*55MM
INPUT:AC85-265V



MK-W0229 BK+GD

POWER:4*3W
IPRATING:IP54
SIZE: 180*90*55MM
INPUT:AC85-265V




MK-W0227Y-2L

POWER:2*3W+2W
IPRATING:IP54
SIZE:95*45*58MM
INPUT:AC85-265V




MK-W0227F-2L

POWER:5W
IPRATING:IP54
SIZE:95*45*58MM
INPUT:AC85-265V



MK-W0227L-2 WH

POWER:4W
IPRATING:IP54
SIZE:180*75*85MM
INPUT:AC85-265V




MK-W0227L-2 BK

POWER:2*3W+2W
IPRATING:IP54
SIZE: 95*45*58MM
INPUT:AC85-265V




MK-W50017

Power:5W
IP Rating:IP54
Size:180x160x110mm
Input:AC85-265V



MK-W50018

Power:10W
IP Rating:IP54
Size:134x105x62mm
Input:AC85-265V




MK-W50022

Power:12W
IP Rating:IP54
Size:200x50x80mm
Input:AC85-265V



MK-W50023

Power:24W
IP Rating:IP54
Size:300x50x80mm
Input:AC85-265V



MK-W50020

Power:24W
IP Rating:IP54
Size:300x50x80mm
Input:AC85-265V



MK-W50001

Power:12W
IP Rating:IP54
Size:320x160x90mm
Input:AC85-265V




MK-W50003

Power:10W
IP Rating:IP54
Size:360x160x90mm
Input:AC85-265V



MK-W50009

Power:5W
IP Rating:IP54
Size:65x80x120mm
Input:AC85-265V



MK-W50024

Power:36W
IP Rating:IP54
Size:500x50x80mm
Input:AC85-265V




MK-W50025

Power:10W
IP Rating:IP54
Size:165x150x70mm
Input:AC85-265V



MK-W50021

Power:36W
IP Rating:IP54
Size:500x50x80mm
Input:AC85-265V



MK-W50019

Power:12W
IP Rating:IP54
Size:200x50x80mm
Input:AC85-265V



MK-W50009-2

Power:10W
IP Rating:IP54
Size:65x80x180mm
Input:AC85-265V



MK-W50009-2A

Power:10W
IP Rating:IP54
Size:65x80x180mm
Input:AC85-265V



MK-W50010

Power:5W
IP Rating:IP54
Size:65x80x120mm
Input:AC85-265V



MK-W50010-2

Power:10W
IP Rating:IP54
Size:65x80x180mm
Input:AC85-265V



MK-W50010-2A

Power:10W
IP Rating:IP54
Size:65x80x180mm
Input:AC85-265V



MK-W30031A

Power:7W
IP Rating:IP54
Size:130x200x195mm
Input:AC85-265V




MK-W30031A

Power:7W
IP Rating:IP54
Size:130x200x195mm
Input:AC85-265V




MK-W2449

Power:10W
IP Rating:IP54
Size:380x80x95mm
Input:AC85-265V



MK-W2424

Power:10W
IP Rating:IP54
Size:140x170x92mm
Input:AC85-265V



MK-W2430

Power:10W
IP Rating:IP54
Size:120x120x60mm
Input:AC85-265V



MK-W2404

Power:2x5W
IP Rating:IP54
Size:260x100x65mm
Input:AC85-265V




MK-W2404

Power:2x5W
IP Rating:IP54
Size:260x100x65mm
Input:AC85-265V



MK-W2442

Power:10W
IP Rating:IP54
Size:120x120x60mm
Input:AC85-265V



MK-W0630-4

Power:5W
IP Rating:IP54
Size:180x150x80mm
Input:AC85-265V



MK-W2402

Power:4x1W
IP Rating:IP54
Size:155x155x65mm
Input:AC85-265V



MK-W2403

Power:5x1W
IP Rating:IP54
Size:Ø200x45mm
Input:AC85-265V



MK-W2435

Power:2x5W
IP Rating:IP54
Size:240x115x70mm
Input:AC85-265V




MK-W2458-2

Power:5W+2x3W
IP Rating:IP54
Size:220x80x70mm
Input:AC85-265V



MK-W2489-2

Power:12W
IP Rating:IP54
Size:350x80x60mm
Input:AC85-265V



MK-W2401

Power:10W
IP Rating:IP54
Size:180x160x110mm
Input:AC85-265V



MK-W2434

Power:10W
IP Rating:IP54
Size:180x190x70mm
Input:AC85-265V



MK-2490-2飞机

Power:5W
IP Rating:IP54
Size:180x175x90mm
Input:AC85-265V



MK-W2451

Power:12W
IP Rating:IP54
Size:Ø180x85mm
Input:AC85-265V



MK-W2491

Power:12W
IP Rating:IP54
Size:220x100x150mm
Input:AC85-265V



MK-W2492 天使之眼

Power:12W
IP Rating:IP54
Size:190x115x110mm
Input:AC85-265V



MK-W2450

Power:12W
IP Rating:IP54
Size:Ø180x70mm
Input:AC85-265V



MK-W2493 雅迪

Power:12W
IP Rating:IP54
Size:Ø165x155x70mm
Input:AC85-265V




MK-W2494 钢琴

Power:12W
IP Rating:IP54
Size:120x120x85mm
Input:AC85-265V




MK-2456

Power:16W
IP Rating:IP54
Size:180x180x150mm
Input:AC85-265V



MK-W2454

Power:12W 16W
IP Rating:IP54
Size:Ø150x82mm
Ø200x93mm
Input:AC85-265V




MKW2495 宝石

Power:9W
IP Rating:IP54
Size:155x110x56mm
Input:AC85-265V




MK-W2465

Power:12W
IP Rating:IP54
Size:120x130x145mm
Input:AC85-265V




MK-W2496

Power:10W+2x3W
IP Rating:IP54
Size:200x100x60mm
Input:AC85-265V



MK-W2497 半切弧

Power:12W
IP Rating:IP54
Size:180x100x80mm
Input:AC85-265V



MK-W2498-2 蝴蝶结

Power:12W
IP Rating:IP54
Size:180x100x95mm
Input:AC85-265V



MK-W2455

Power:24W
IP Rating:IP54
Size:165x150x85mm
Input:AC85-265V



MK-W2464

Power:12W
IP Rating:IP54
Size:190x95x90mm
Input:AC85-265V



MK-W2463

Power:12W
IP Rating:IP54
Size:180x110x120mm
Input:AC85-265V



MK-W2458

Power:12W
IP Rating:IP54
Size:90x170x140mm
Input:AC85-265V



MK-W2499 高跟鞋

Power:12W
IP Rating:IP54
Size:180x180x130mm
Input:AC85-265V




MK-W2459

Power:12W/24W/36W
IP Rating:IP54
Size:200/300/500mm
Input:AC85-265V




MK-W2432

Power:10W
IP Rating:IP54
Size:134x105x62mm
Input:AC85-265V



MK-W2500

Power:5W
IP Rating:IP54
Size:100x100x100mm
Input:AC85-265V




MK-W2447-14

Power:12W
IP Rating:IP54
Size:100x100x100mm
Input:AC85-265V



MK-BL-6528

Power:5W
IP Rating:IP54
Size:145x70x95mm
Input:AC85-265V



MK-W

Power:10W
IP Rating:IP54
Size:165x150x70mm
Input:AC85-265V




MK-W2461

Power:24W
IP Rating:IP54
Size:320x60x60mm
Input:AC85-265V



MK-2468/2467/2466

Power:12W/24W/36W
IP Rating:IP54
Size:200/300/500mm
Input:AC85-265V



MK-W2447-7

Power:12W
IP Rating:IP54
Size:100x100x100mm
Input:AC85-265V



MK-W2501

Power:9W
IP Rating:IP54
Size:220x70x65mm
Input:AC85-265V



MK-W23219 感应

Power:10W
IP Rating:IP54
Size:68x203.5x303mm
Input:AC85-265V




MK-W23219

Power:10W
IP Rating:IP54
Size:68x203.5x303mm
Input:AC85-265V




MK-W02116

Power:6W
IP Rating:IP54
Size:150x142x46mm
Input:AC85-265V



MK-W02125

Power:12W 7W
IP Rating:IP54
Size:300x100x70mm
200x80x62mm
Input:AC85-265V




MK-W02117

Power:12W
IP Rating:IP54
Size:224x148x104mm
Input:AC85-265V



MK-W02124

Power:12W
IP Rating:IP54
Size:185x153x37mm
Input:AC85-265V




MK-W02122

Power:18W
IP Rating:IP54
Size:251x100x32mm
Input:AC85-265V




MK-W02123

Power:12W
IP Rating:IP54
Size:200x115x61mm
Input:AC85-265V



MK-W02128

Power:8W
IP Rating:IP54
Size:255x80x45mm
Input:AC85-265V



MK-W02127

Power:GU10
IP Rating:IP54
Size:220x154x170MM
Input:AC85-265V



MK-W02118

Power:12W
IP Rating:IP54
Size:300x130x33mm
Input:AC85-265V




MK-W02119

Power:12W
IP Rating:IP54
Size:Ø300x33mm
Input:AC85-265V



MK-W02120

Power:12W
IP Rating:IP54
Size:245x97x122mm
Input:AC85-265V




MK-W02121

Power:12W
IP Rating:IP54
Size:251x100x32mm
Input:AC85-265V



MK-W02132

Power:2x1W+2x5W
IP Rating:IP54
Size:100x110x132mm
Input:AC85-265V



MK-W02133

Power:2x1W+2x5W
IP Rating:IP54
Size:100x97x132mm
Input:AC85-265V



MK-W02133A

Power:2x1W+2x5W
IP Rating:IP54
Size:100x97x132MM
Input:AC85-265V



MK-W02131A

Power:2x1W+2x5W
IP Rating:IP54
Size:100x91x134mm
Input:AC85-265V



MK-W23201

Power:E27
IP Rating:IP54
Size:90x200mm
Input:AC85-265V



MK-W19075

Power:E27
IP Rating:IP54
Size:120x120x300mm
Input:AC85-265V



MK-W19076

Power:E27
IP Rating:IP54
Size:160x300mm
Input:AC85-265V



MK-W23187

Power:12W
IP Rating:IP54
Size:180x180x200mm
Input:AC85-265V



MK-W19301

Power:12W
IP Rating:IP65
Size:245x105x75mm
Input:AC85-265V



MK-W19302

Power:12W
IP Rating:IP65
Size:245x105x75mm
Input:AC85-265V



MK-W19303

Power:12W
IP Rating:IP65
Size:245x105x75mm
Input:AC85-265V



MK-W19304

Power:12W
IP Rating:IP65
Size:245x105x75mm
Input:AC85-265V



MK-W23214

Power:2x4W
IP Rating:IP54
Size:202x202x55mm
Input:AC85-265V



MK-W23215

Power:12W
IP Rating:IP54
Size:274.5x150x52mm
Input:AC85-265V



MK-W23206

Power:10W
IP Rating:IP54
Size:160x160x190mm
Input:AC85-265V



MK-W23207

Power:10W
IP Rating:IP54
Size:160x160x190mm
Input:AC85-265V



MK-W2407

Power:5W
IP Rating:IP54
Size:108x170x86mm
Input:AC85-265V



MK-W2421

Power:10W
IP Rating:IP54
Size:Ø180x83mm
Input:AC85-265V




MK-W23216

Power:10W
IP Rating:IP54
Size:280x140x80mm
Input:AC85-265V



MK-W23217

Power:30W
IP Rating:IP54
Size:420x140x80mm
Input:AC85-265V




MK-W0774

Power:18W
IP Rating:IP54
Size:230x130x50mm
Input:AC85-265V




MK-W0775

Power:2W
IP Rating:IP54
Size:150x150x65mm
Input:AC85-265V



MK-W0776

Power:18W
IP Rating:IP54
Size:230x130x95mm
Input:AC85-265V



MK-2003-2

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V



MK-1031A

POWER: LED 1x5W
IP RATING: IP65
SIZE:100x90x90
INPUT:AC85-265V



MK-1032A

POWER: LED 2X5W
IP RATING: IP65
SIZE:100x90x135
INPUT:AC85-265V



MK-1033A

POWER: LED 1x5W
IP RATING: IP65
SIZE:100x90x90
INPUT:AC85-265V



MK-1034A

POWER: LED 2X5W
IP RATING: IP65
SIZE:100x90x135
INPUT:AC85-265V



MK-W0221-2

Power:
IP Rating:IP54
Size:110x130x90mm
Input:AC85-265V




MK-W0221-1

Power:
IP Rating:IP54
Size:90x105x80mm
Input:AC85-265V



MK-W0413

Power:6W
IP Rating:IP54
Size:125x100x80mm
Input:AC85-265V




MK-W0407

Power:
IP Rating:IP54
Size:120x60x40mm
Input:AC85-265V



MK-W262-7W

Power:10W
IP Rating:IP65
Size:150x86x81mm
Input:AC85-265V



MK-F295

POWER: E27/LED 1x10W
IP RATING: IP65
SIZE:115x115x250
INPUT:AC85-265V



MK-2670

POWER: E27/LED 10W/15W/30W
IP RATING: IP65
SIZE:260x125x125/385x130x140
420x130x140
INPUT:AC85-265V



MK-F462

POWER: E27/LED 1x15W
IP RATING: IP65
SIZE:130x110x385
INPUT:AC85-265V



MK-W02133

Power:10W
IP Rating:IP54
Size:420x120x66mm
Input:AC85-265V



MK-W02133 感应

Power:10W
IP Rating:IP54
Size:420x120x66mm
Input:AC85-265V



MK-W02134

Power:10W
IP Rating:IP54
Size:280x120x90mm
Input:AC85-265V




MK-W02135

Power:10W
IP Rating:IP54
Size:420x120x90mm
Input:AC85-265V



MK-W23192

Power:2x5+2W+2W
IP Rating:IP54
Size:120x125x265mm
Input:AC85-265V



MK-W23190

Power:2x5W
IP Rating:IP54
Size:120x125x265mm
Input:AC85-265V



MK-W23194-1

Power:2x5W
IP Rating:IP54
Size:160x70x165mm
Input:AC85-265V



MK-W23194-2

Power:4x5W
IP Rating:IP54
Size:165x70x265mm
Input:AC85-265V



MK-W23184

Power:12W
IP Rating:IP54
Size:290x180x85mm
Input:AC85-265V



MK-W23218

Power:12W
IP Rating:IP54
Size:232x130x172mm
Input:AC85-265V



MK-W19060

Power:2x6W
IP Rating:IP54
Size:88x110x260mm
Input:AC85-265V



MK-W19061

Power:2x6W
IP Rating:IP54
Size:88x110x260mm
Input:AC85-265V




MK-0504

Power:2x10W
IP Rating:IP65
Size:100x60x260mm
Input:AC85-265V



MK-0503

Power:2x10W
IP Rating:IP65
Size:100x60x260mm
Input:AC85-265V



MK-0502

Power:2x10W
IP Rating:IP65
Size:100x60x260mm
Input:AC85-265V




MK-W0375

Power:3W
IP Rating:IP65
Size:185x90x40mm
Input:AC85-265V



MK-W19188

Power:12W / E27
IP Rating:IP65
Size:217x190x250mm
Input:AC85-265V



MK-W19186

Power:12W / E27
IP Rating:IP65
Size:190x200x250mm
Input:AC85-265V



MK-W19188

Power:12W / E27
IP Rating:IP65
Size:217x190x250mm
Input:AC85-265V



MK-Z19016

Power:12W
IP Rating:IP65
Size:150x150x285mm
Input:AC85-265V



MK-W46010

Power:12W
IP Rating:IP65
Size:170x180x285mm
Input:AC85-265V



MK-Z19018-285

Power:12W
IP Rating:IP65
Size:170x180x285mm
Input:AC85-265V




MK-W46003

Power:12W
IP Rating:IP65
Size:220x220x600mm
Input:AC85-265V



MK-W19187

Power:12W
IP Rating:IP65
Size:240x270x290mm
Input:AC85-265V



MK-W19185

Power:12W
IP Rating:IP65
Size:214.5x245x254mm
Input:AC85-265V



MK-W19207

Power:E27
IP Rating:IP65
Size:168x150x370mm
Input:AC85-265V



MK-W19208

Power:E27
IP Rating:IP65
Size:177x165x370mm
Input:AC85-265V




MK-W19209

Power:E27
IP Rating:IP65
Size:168x150x370mm
Input:AC85-265V




MK-W19210

Power:E27
IP Rating:IP65
Size:177x165x370mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:
Input:AC85-265V




MK-

Power:
IP Rating:IP54
Size:
Input:AC85-265V



MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V



MK-

Power:
IP Rating:IP54
Size:mm
Input:AC85-265V